

## Early research shows dietary supplement may lower risk of developing type 2 diabetes

September 22 2011

UCLA researchers demonstrated that an over-the-counter dietary supplement may help inhibit development of insulin resistance and glucose intolerance, conditions that are involved in the development of Type 2 diabetes and metabolic syndrome, which affect millions worldwide.

In this early preclinical study, a naturally produced amino acid-like molecule called GABA was given orally to mice that were obese, insulin resistant and in the early stages of Type 2 diabetes. Researchers found that GABA suppressed the inflammatory immune responses that are involved in the development of this condition.

According to study authors, GABA helped prevent disease progression and improved glucose tolerance and insulin sensitivity, even after onset of Type 2 diabetes in mice. Researchers also identified the regulatory immune cells that likely direct GABA's activity in inhibiting inflammation.

**More information:** The research appears in the Sept. 22 online edition of the peer-reviewed journal, *PLoS One*.

Provided by University of California - Los Angeles

Citation: Early research shows dietary supplement may lower risk of developing type 2 diabetes



(2011, September 22) retrieved 21 March 2023 from <a href="https://medicalxpress.com/news/2011-09-early-dietary-supplement-diabetes.html">https://medicalxpress.com/news/2011-09-early-dietary-supplement-diabetes.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.