




# Heart disease common among firefighters who die of cardiac arrest

September 5 2018

## CARDIAC ARREST VS. HEART ATTACK

People often use these terms interchangeably, but they are not the same.

WHAT IS CARDIAC ARREST?	WHAT IS A HEART ATTACK?
<p><b>CARDIAC ARREST</b> occurs when the heart malfunctions and stops beating unexpectedly.</p> <p>Cardiac arrest is triggered by an electrical malfunction in the heart that causes an irregular heartbeat (arrhythmia). With its pumping action disrupted, the heart cannot pump blood to the brain, lungs and other organs.</p>	<p><b>A HEART ATTACK</b> occurs when blood flow to the heart is blocked.</p> <p>A blocked artery prevents oxygen-rich blood from reaching a section of the heart. If the blocked artery is not reopened quickly, the part of the heart normally nourished by that artery begins to die.</p>
<p><b>WHAT HAPPENS</b></p> <p>Seconds later, a person becomes unresponsive, is not breathing or is only gasping. <b>Death occurs within minutes if the victim does not receive treatment.</b></p>	<p><b>WHAT HAPPENS</b></p> <p>Symptoms of a heart attack may be immediate and may include intense discomfort in the chest or other areas of the upper body, shortness of breath, cold sweats, and/or nausea/vomiting. More often, though, symptoms start slowly and persist for hours, days or weeks before a heart attack. Unlike with cardiac arrest, the heart usually does not stop beating during a heart attack. <b>The longer the person goes without treatment, the greater the damage.</b></p>
<p><b>WHAT TO DO</b></p> <p><b>CALL 9-1-1</b>  Cardiac arrest can be reversible in some victims if it's treated within a few minutes. First, call 9-1-1 and start CPR right away. Then, if an Automated External Defibrillator (AED) is available, use it as soon as possible. If two people are available to help, one should begin CPR immediately while the other calls 9-1-1 and finds an AED.</p>	<p><b>WHAT TO DO</b></p> <p><b>CALL 9-1-1</b> Even if you're not sure it's a heart attack, call 9-1-1 or your emergency response number. Every minute matters! It's best to call EMS to get to the emergency room right away. Emergency medical services staff can begin treatment when they arrive — up to an hour sooner than if someone gets to the hospital by car. EMS staff are also trained to revive someone whose heart has stopped. Patients with chest pain who arrive by ambulance usually receive faster treatment at the hospital, too.</p>
<p><b>WHAT IS THE LINK?</b> </p> <p>Most heart attacks do not lead to cardiac arrest. But when cardiac arrest occurs, heart attack is a common cause. Other conditions may also disrupt the heart's rhythm and lead to cardiac arrest.</p> <p><b>Fast action can save lives.</b></p> <p>Learn more about CPR or to find a course, go to <a href="http://heart.org/cpr">heart.org/cpr</a></p> <p> <b>American Heart Association®</b> life is why™</p> <p><small>©2015, American Heart Association. 7/15 D59493</small></p>	

Cardiac Arrest vs. Heart Attack infographic. Credit: copyright American Heart Association

Firefighters who died from cardiac arrest were much more likely than those who died of other causes to show signs of both atherosclerotic and hypertensive heart disease at autopsy, according to new research in *Journal of the American Heart Association*, the Open Access Journal of the American Heart Association/American Stroke Association.

Among firefighters, more job-related deaths stem from [cardiac arrest](#) than from any other cause. To understand which heart diseases affect firefighters who die of cardiac arrest, this study looked at autopsy reports for firefighters who had died in the line of duty. Results showed that the most common diseases were narrowed arteries, or coronary artery disease, and structural abnormalities. These abnormalities included an enlarged heart (cardiomegaly) and increased wall thickness (hypertrophy) of the heart's primary chamber for pumping blood, or left ventricle.

"Firefighters face many dangers, but the greatest risk is from underlying cardiovascular disease in combination with the physiological strain that the work places on the [firefighter](#)," said study lead author Denise L. Smith, Ph.D., Tisch Distinguished Professor and director of the First Responder Health and Safety Laboratory at Skidmore College in Saratoga Springs, New York. "Medical screening is necessary to establish that a firefighter is healthy enough to do this strenuous work."

In terms of specific risks, narrowing of the arteries, enlarged heart and prior heart attack all were all independently associated with a greatly increased likelihood of death from cardiac arrest than firefighters who died of other causes. Similarly, firefighters who had a prior heart attack

were 6 times more likely to have a duty-related death. an enlarged heart or a prior heart attack.

The researchers looked at autopsy records for U.S. male firefighters who died on duty between 1999 and 2014. Of 627 total deaths, 276 resulted from cardiac arrest and 351 from trauma. At the time of death, the firefighters were between 18 and 65 years old.

In the United States, approximately 1 in 7 people will die of [sudden cardiac arrest](#). The life-threatening condition occurs when the heart's electrical system stops working properly. Symptoms include unresponsiveness and gasping for air or not breathing. Immediate medical treatment is critical, including CPR and calling 9-1-1.

Cardiac arrest differs from a heart attack, which occurs when a blockage prevents blood flow to the heart, although heart attack and other heart conditions can cause cardiac arrest. Since cardiac arrest often is the first sign of underlying [heart disease](#), screening and treatment for common heart diseases are critical.

"Historically, screening has focused more on [risk factors](#) for [coronary artery disease](#)," Smith said. "While this screening remains essential, it is important that clinicians also consider testing to identify an enlarged heart and increased wall thickness."

Several limitations could have affected the study's results. Among these limitations were differences in autopsy descriptions of heart disease, the use of a cut-off weight for an enlarged [heart](#), and lack of information about other risk factors such as smoking and high blood pressure.

To control risk factors, the American Heart Association recommends lifestyle changes known as Life's Simple 7: manage blood pressure, control cholesterol, reduce blood sugar, get active, eat better, lose weight

and stop smoking.

**More information:** *Journal of the American Heart Association* (2018).  
[DOI: 10.1161/JAHA.118.009446](https://doi.org/10.1161/JAHA.118.009446)

Provided by American Heart Association

Citation: Heart disease common among firefighters who die of cardiac arrest (2018, September 5) retrieved 15 December 2023 from <https://medicalxpress.com/news/2018-09-heart-disease-common-firefighters-die.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--