

Lab study: Parkinson's researchers test a new approach against motor disorders

February 28 2019



Immunohistochemistry for alpha-synuclein showing positive staining (brown) of an intraneural Lewy-body in the Substantia nigra in Parkinson's disease. Credit: Wikipedia

Scientists of the German Center for Neurodegenerative Diseases

(DZNE) and the University Medical Center Goettingen (UMG) have been able to alleviate motor disorders in mice that resemble those seen in Parkinson's patients. The rodents were treated with a substance that affects the neurons and immune cells of the brain. If this novel approach proves to be successful in further laboratory studies, it could possibly be tested in clinical trials. The findings are published in the *Journal of Neuroscience*.

In Parkinson's disease, certain neurons in the brain gradually die off. This so-called "neurodegeneration" has manifold potential consequences that range from serious digestive disorders to dementia. However, the typical hallmark of Parkinson's disease is motor impairment, as patients suffer from tremor and stiffness of their arms and legs. Although some of these symptoms can be alleviated, [current treatments](#) cannot halt the loss of brain cells. Therefore, there is presently no therapy available to slow down or even stop the course of the disease.

Immune cells of the brain

The current study not only focused on neurons but also on the immune cells of the brain. The latter (called "microglia") act as a protectant against harmful agents and pathogens. However, in Parkinson's disease, a chronic inflammation develops. As a result of this persistent immune reaction, the microglia sometimes release metabolites that damage neurons and ultimately cause their death. "We therefore used an [experimental drug](#) that was known to have an anti-inflammatory effect," says Prof. Anja Schneider, head of a research group at the DZNE in Bonn. "This compound is able to penetrate into the microglia and flip a molecular switch that attenuates the inflammatory reaction. The drug has already been tested in clinical studies on humans as a possible remedy for anxiety disorders. Therefore, data on this substance exists that proves its safety and tolerability in humans."

Schneider and colleagues in Bonn and Goettingen investigated the effect of this drug, Emapunil, on mice. The mice had movement disorders caused by the loss of neurons in the so-called [substantia nigra](#). This brain area is also affected in Parkinson's patients. Treating the mice with Emapunil alleviated the symptoms. "Animals that received the drug had a better command of their motion compared to the untreated animals in a control group," says Prof. Tiago Outeiro, a researcher at UMG and co-author of the current study.

The scientists identified potential causes. "With our study we were able show that Emapunil has a protective effect on neurons. Different mechanisms appear to be involved," explains Outeiro. "This drug acts on the microglia and dampens inflammatory reactions. Basically, this was already known. However, we now report that the compound also affects neurons directly. In these cells, Emapunil reduces the so-called unfolded protein response. This is a stress reaction that can lead to cell death."

A molecular receptor

From previous investigations, it was known that Emapunil binds to a molecule called TSPO (translocator protein). This receptor is expressed in [neurons](#) and [microglia](#). "Our results suggest that TSPO could basically be a target for drugs against [neurodegenerative diseases](#)," says Prof. Markus Zweckstetter, a scientist at the DZNE's Goettingen site and at the Max Planck Institute for Biophysical Chemistry.

The researchers intend to investigate the involved mechanisms further. "In the lab, only partial aspects of Parkinson's disease can be simulated," DZNE scientist Schneider says. "Therefore, we would like to suggest that the current results be tested in further laboratory studies and using other disease models. If acting upon TSPO proves to be successful, this strategy could be tested in clinical studies on Parkinson's [disease](#)."

More information: Jing Gong et al, Translocator protein ligand protects against neurodegeneration in the MPTP mouse model of Parkinsonism, *The Journal of Neuroscience* (2019). [DOI: 10.1523/JNEUROSCI.2070-18.2019](https://doi.org/10.1523/JNEUROSCI.2070-18.2019)

Provided by German Center for Neurodegenerative Diseases

Citation: Lab study: Parkinson's researchers test a new approach against motor disorders (2019, February 28) retrieved 14 July 2023 from <https://medicalxpress.com/news/2019-02-lab-parkinson-approach-motor-disorders.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.