

Few at risk for diabetes report being informed by provider

August 12 2019



(HealthDay)—Few patients with undiagnosed prediabetes are told that

they are at high risk for diabetes, according to a study published in the July issue of *Clinical Diabetes*.

Arch G. Mainous, Ph.D., from the University of Florida in Gainesville, and colleagues analyzed data from the National Health and Nutrition Examination Survey (2015 to 2016) to identify previously undiagnosed participants who were diagnosed with prediabetes or borderline [diabetes](#) as a result of a study-related examination.

The researchers found that of the 4,538 participants, 25 percent had laboratory glucose results meeting the criteria for a prediabetes diagnosis. Of these, 75.4 percent were unaware that they had the condition. Among those with undiagnosed prediabetes, 30.5 percent believed that they were at increased risk of diabetes, but only 12.8 percent of them reported being told by a [health care provider](#) of their increased risk. Independent predictors of higher perception of diabetes risk included having been told by a health care provider (odds ratio [OR], 7.00), having a family history of diabetes (OR, 4.48), being younger (defined as 20 to 44 years old; OR, 3.03), and having been told by a health care provider that they are overweight (OR, 1.85).

"Diabetes prevention requires improved patient-centered care, which begins with the delivery of adequate information to patients," the authors write.

More information: [Abstract/Full Text \(subscription or payment may be required\)](#)

Copyright © 2019 [HealthDay](#). All rights reserved.

Citation: Few at risk for diabetes report being informed by provider (2019, August 12) retrieved 4 May 2023 from <https://medicalxpress.com/news/2019-08-diabetes.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.