

Drinking rose during pandemic, especially for women and Black Americans

June 21 2021



(HealthDay)—It might have seemed harmless to while away hours stuck

at home during the pandemic with extra wine and cocktails. But new research instead points to a troubling trend: Alcohol use and risky drinking rose among Americans over the last year.

For the study, the researchers surveyed the same group of U.S. adults twice in 2020. The first poll was conducted in May and asked participants about [drinking](#) and related factors between February and April of 2020, before and after stay-at-home orders were implemented. The second survey was conducted in December and asked the participants about their drinking between July and November.

"Our first survey showed overall increases in alcohol consumption and risky drinking in the early phase of the pandemic period," said study author Carolina Barbosa, a health economist at the nonprofit research institute RTI International.

"By April, we saw increased [alcohol use](#) overall and more individuals showing risky drinking, especially for certain groups—such as women, people with minor children in the home and Black adults—when compared to pre-pandemic drinking," Barbosa said.

"Our follow-up survey confirmed these patterns of increased alcohol consumption, suggesting early increases in alcohol consumption have been maintained during the pandemic period, especially in those groups identified early in the pandemic: women, Black adults and people with children," Barbosa explained in a news release from the Research Society on Alcoholism.

The findings also showed that people who said they use alcohol to cope with stress increased their drinking more during the [pandemic](#) than people who didn't use alcohol to cope, she added.

The study was scheduled for presentation at the Research Society on

Alcoholism's annual meeting, held virtually from June 19 to 23. Such research is considered preliminary until published in a peer-reviewed journal.

Barbosa suggested that [policy makers](#) should do more to increase public awareness of drinking guidelines "and the consequences of drinking above those guidelines." In addition, they should consider how loosened alcohol sales restrictions (allowing home delivery, curbside pickup and cocktails-to-go from restaurants and bars) when people are under extra strain can impact public health, she said.

"Further, it is very important to monitor [alcohol consumption](#) and [alcohol](#)-attributable harms—such as emergency department visits for certain types and complications of alcoholic liver diseases—both during and following the COVID-19 crisis, which could help optimize interventions and improve disaster preparedness and responses in the future," Barbosa concluded.

More information: The U.S. National Institute on Alcohol Abuse and Alcoholism has more on [drinking during the COVID-19 pandemic](#).

Copyright © 2021 [HealthDay](#). All rights reserved.

Citation: Drinking rose during pandemic, especially for women and Black Americans (2021, June 21) retrieved 24 November 2023 from <https://medicalxpress.com/news/2021-06-rose-pandemic-women-black-americans.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--