


New technique captures unprecedented view of the active brain

March 23 2023



Neuron segmentation performance. (a) Comparison of segmentation performance of MesoLF versus CNMF-E (template matching and shape-based selection steps) in a 2D slice from a MesoLF recording in mouse cortex, depth 100 μm . Green circles: segments that strongly match with the ground truth. Blue circles: segments that only appear in the ground truth. Magenta circles: segments that are not consistent with ground truth. (b) Comparison of precision, sensitivity, and F1-scores for neuron detection performance in CNMF-E (template matching and shape-based selection steps) and MesoLF segmentation.

Same data as in main Fig. 3h, reproduced here for convenience. Height of bars: Mean. Error bars: s.d. Black circles: $n = 5$ simulation runs. (c) Top panel: Illustration of 3D volume containing neurons and exhibiting scattering, as used for volumetric segmentation comparisons in remainder of figure. Schematic illustration of segmentation pipelines in CNMF-E (middle box) and MesoLF (bottom box). (d) 3D rendering of segmentation results from CNMF-E (left) and MesoLF (right). Magenta: Ground-truth neurons, green: segments. (e) Zooms into areas indicated by dashed rectangles in (d). (f) Comparison of the spatial similarity index of neurons paired between ground truth and output of CNMF-E (template matching and shape-based selection steps) versus MesoLF segmentation. $p = 2.0e-9$, paired one-sided Wilcoxon signed rank test. $n = 63$ neuron pairs. ** p

Citation: New technique captures unprecedented view of the active brain (2023, March 23) retrieved 3 July 2023 from <https://medicalxpress.com/news/2023-03-technique-captures-unprecedented-view-brain.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.