

## Antifibrinolytic drugs reduce blood loss during cardiac surgery

17 October 2007

The amount of blood loss that occurs during major finding globally." complex surgery is limited by the body's ability to form blood clots. These close off small vessels and Source: John Wiley & Sons, Inc. prevent more blood leaking out of the patient's circulatory system. One problem is that the body also has mechanisms that break down blood clots.

This Cochrane Review concludes that drugs that slow down the rate at which these blood clots are dissolved, called anti-fibrinolytics, can significantly reduce blood loss, particularly during cardiac surgery, and reduce the need for re-operation because of continued bleeding. One of the effective drugs, tranexamic acid, is quite cheap and is likely to be cost effective, particularly in cardiac surgery.

The big question is whether the benefits of treatment with these drugs are offset by adverse effects, in particular thrombosis leading to an excess risk of heart attack and stroke. This has been a particular concern with aprotinin and some studies that did not use randomisation found an increased risk of these complications with this drug. However, this Cochrane Review of randomised controlled trials found no increase in the risk of thrombosis with aprotinin or tranexamic acid.

"Our review of over 200 clinical trials found that using anti-fibrinolytic drugs during surgery reduced bleeding and reduced the need for transfusions of red blood cells. Importantly they did not appear to increase the risk of serious adverse effects," says lead researcher Professor David Henry, of the University of Newcastle, Waratah, Australia.

"This is an extremely important finding," says Professor Mike Clarke, the UK Cochrane Centre Director. "It shows very strongly that antifibrinolytics, which are cheap, can dramatically reduce the need for blood transfusion. Blood is scarce, expensive and transfusions can be dangerous, so this is likely to be a very important



APA citation: Antifibrinolytic drugs reduce blood loss during cardiac surgery (2007, October 17) retrieved 1 September 2022 from <a href="https://medicalxpress.com/news/2007-10-antifibrinolytic-drugs-blood-loss-cardiac.html">https://medicalxpress.com/news/2007-10-antifibrinolytic-drugs-blood-loss-cardiac.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.