


Study: Sports drink consumption can cause tooth erosion

April 3 2009



Left: A tooth that was immersed in a sports drink shows signs of erosion caused by acid. A tooth that was immersed only in water (at right) shows no signs of erosion. Credit: Dr. Mark Wolff, Professor and Chairman of the Department of Cariology & Comprehensive Care at New York University College of Dentistry

While sipping on sports drinks all day may provide an energy boost, this popular practice is also exposing people to levels of acid that can cause tooth erosion and hypersensitivity, NYU dental researchers have found.

In a recent study, the researchers found that prolonged [consumption](#) of sports drinks may be linked to a condition known as erosive tooth wear, in which acids eat away the tooth's smooth hard enamel coating and trickle into the bonelike material underneath, causing the tooth to soften and weaken. The condition affects one in 15 Americans and can result in severe tooth damage and even tooth loss if left untreated.

"This is the first time that the citric [acid](#) in sports drinks has been linked to erosive tooth wear," said Dr. Mark Wolff, Professor and Chairman of

the Department of Cariology & Comprehensive Care at New York University College of Dentistry, who led the study. The findings were presented today at the annual meeting of the International Association for Dental Research in Miami.

Dr. Wolff's research team cut in half cow [teeth](#), which were used for the study because of their close resemblance to human teeth. They immersed one half of the specimens in a sports drink, the other half in water, then compared the two halves and discovered that the one exposed to the sports drink displayed a significant amount of erosion and softening.

"Five teeth were immersed in each drink for 75 to 90 minutes to simulate the effects of sipping on sports drinks over the course of the day," Dr. Wolff said. The researchers evaluated the effects of a range of top-selling sports drinks on the cow teeth.

According to Dr. Wolff, brushing teeth immediately after consuming a sports drink can compound the problem of tooth erosion, because softened enamel is very susceptible to the abrasive properties of toothpaste.

"To prevent tooth erosion, consume sports drinks in moderation, and wait at least 30 minutes before brushing your teeth, to allow softened enamel to re-harden," Dr. Wolff advised. "If you frequently consume sports drinks, ask your dentist if you should use an acid-neutralizing remineralizing toothpaste to help re-harden soft enamel."

Source: New York University ([news](#) : [web](#))

Citation: Study: Sports drink consumption can cause tooth erosion (2009, April 3) retrieved 3 July 2023 from <https://medicalxpress.com/news/2009-04-sports-consumption-tooth-erosion.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.