

Distinct demographic profiles between Crohn's disease and ulcerative colitis

5 February 2010

Although inflammatory bowel disease (IBD) [comprising mainly Crohn's disease (CD) and ulcerative colitis (UC)] is thought to affect about 150 000 people in the United Kingdom, the prevalence of severe IBD is not known. Mortality following hospitalization for IBD is significant but little has been reported on long-term follow-up.

A research article to be published on January 28, 2010 in the World Journal of Gastroenterology addresses this question. The research team from United Kingdom determined the hospitalized prevalence of severe IBD and subsequent 5-year mortality in Wales, and investigated associations between severe IBD and social deprivation, distance travelled to hospital, and other sociodemographic characteristics.

They found that hospitalization for severe CD was more common among women than men and it peaked among younger people aged 16? years. UC was similar among men and women and was more common among older people. There was no link between social deprivation and UC, but CD was more common among more deprived social groups.

The differing demographic profiles between CD and UC, suggest that environmental factors play a more significant role in the etiology of CD. The findings of this large population-based study on the prevalence and mortality of IBD are also important for service planning and provision.

More information: Button LA, Roberts SE, Goldacre MJ, Akbari A, Rodgers SE, Williams JG. Hospitalized prevalence and 5-year mortality for IBD: Record linkage study. World J Gastroenterol 2010; 16(4): 431-438, www.wignet.com/1007-9327/16/431.asp

Provided by World Journal of Gastroenterology



APA citation: Distinct demographic profiles between Crohn's disease and ulcerative colitis (2010, February 5) retrieved 27 August 2022 from https://medicalxpress.com/news/2010-02-distinct-demographic-profiles-crohn-disease.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.