

# Combination treatment regimen not effective against advanced melanoma

5 June 2010

---

The combination of two different chemotherapies and a previously approved treatment for kidney and liver cancers is not effective against advanced melanoma, according to results disclosed in an oral presentation today at the 46th annual meeting of the American Society of Clinical Oncology (ASCO) in Chicago.

"With each new study, we learn something important about the treatment of melanoma," said John M. Kirkwood, M.D., professor of medicine, University of Pittsburgh School of Medicine, and leader of the University of Pittsburgh Cancer Institute's (UPCI) melanoma and skin cancer program. "With this study, we learned that the addition of sorafenib, a molecular inhibitor, to a traditional [chemotherapy regimen](#) does not improve patient survival."

The phase III trial, which was sponsored by the Eastern Cooperative Oncology Group (ECOG), enrolled 823 patients from seven different sites across the country over 34 months. The primary goal of the study was to determine whether the addition of sorafenib, a molecular targeting agent, would improve survival rates for patients with metastatic melanoma when added to the chemotherapy combination of [carboplatin](#) and paclitaxel. Patients either received the chemotherapy combination alone or with sorafenib.

"While this study didn't confirm the very promising results of phase II studies with sorafenib, it is important to share its findings since the double chemotherapy combination of carboplatin and paclitaxel has achieved results that eclipse previous chemotherapy results in large phase III trials. These results take us one step closer to understanding how to most effectively treat metastatic melanoma," said Dr. Kirkwood.

Melanoma is a rare form of skin cancer, but it causes the majority of [skin-cancer](#) related deaths. Each year, approximately 160,000 new cases are

diagnosed worldwide. Surgery effectively cures early disease, but once it has spread to regional lymph nodes or distant sites, a cure is more elusive. Only two therapies in current usage have been approved by the U.S. Food and Drug Administration for treatment of advanced [melanoma](#), and neither has been shown to prolong survival.

Provided by University of Pittsburgh Schools of the Health Sciences

APA citation: Combination treatment regimen not effective against advanced melanoma (2010, June 5) retrieved 9 September 2022 from <https://medicalxpress.com/news/2010-06-combination-treatment-regimen-effective-advanced.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*