

## Worrying can impact interpersonal relationships, study finds

July 26 2011

---

Most people worry from time to time. A new research study, led by a Case Western Reserve University faculty member in psychology, also shows that worrying can be so intrusive and obsessive that it interferes in the person's life and endangers the health of social relationships.

These people suffer from what's called generalized anxiety disorder (GAD), says Case Western Reserve psychologist Amy Przeworski.

Individuals with GAD frequently put [social relationships](#) with family, friends, or [coworkers](#) at the top of their lists of [worries](#), but the negative methods they use to cope-from over nurturing to extreme detachment-may be destructive.

Przeworski and colleagues at Penn State University observed that people in therapy for GAD manifested their worries in different ways based on how they interact with other people.

In two studies the researchers found four distinct interactive styles prominent among people with GAD-intrusive, cold, nonassertive and exploitable.

Both studies supported the presence of these four interpersonal styles and their significant role in how people with GAD manifested their worrying.

"All individuals with these styles worried to the same extent and

extreme, but manifested those worries in different ways," Przeworski said.

Take the examples of two people with similar worries about someone's health and safety.

One person may exhibit that worry through frequent intrusive expressions of concern for the other person. Think of the parent or spouse who calls every five minutes to get an update on what's happening.

Another person may exhibit the worry by criticizing the behaviors that the person believes to be careless or reckless.

"The worry may be similar, but the impact of the worry on their interpersonal relationships would be extremely different. This suggests that interpersonal problems and worry may be intertwined," Przeworski says.

She suggests that therapies to treat GAD should target both the worry and the related interpersonal problems.

Most treatments for GAD rely on cognitive behavioral therapy, a treatment that is usually successful for about 60 percent of people, a percentage considered successful in therapy. However, one way to improve therapy for worriers may be to integrate techniques that target the interpersonal relationship problems.

The researchers published their findings in the article, "Interpersonal Pathoplasticity in Individuals With [Generalized Anxiety Disorder](#)," in the *Journal of Abnormal Psychology* and called for integrating the therapies for worrying and relationship issues.

Provided by Case Western Reserve University

Citation: Worrying can impact interpersonal relationships, study finds (2011, July 26) retrieved 1 May 2023 from <https://medicalxpress.com/news/2011-07-impact-interpersonal-relationships.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.