

Researcher finds elderly lose ability to distinguish between odors

10 November 2011

Scientists studying how the sense of smell changes as people age, found that olfactory sensory neurons in those 60 and over showed an unexpected response to odor that made it more difficult to distinguish specific smells, putting them at greater risk from dangerous chemicals and poor nutrition.

"We found clear changes in olfactory sensory neuron responses to odors for those 60 and up," said Professor Diego Restrepo, Ph.D., director of the Center for NeuroScience at the University of Colorado School of Medicine who led the researchers. "When we presented two different odors to the olfactory sensory neurons of younger people they responded to one or the other. The sensory neurons from the elderly responded to both. This would make it harder for the elderly to differentiate between them."

According to the study published in the latest issue of [Neurobiology of Aging](#), those losing their sense of smell are at a higher risk of [malnutrition](#) since taste and smell are closely related, they may also be unable to detect spoiled food, leaking gas or toxic vapors.

Researchers looked at 440 subjects in two age groups - those 45- years-old and younger and those 60 and over. Their olfactory [sensory neurons](#) (OSNs) were tested for their responses to two distinct odors as well as subsets of those odors.

Restrepo wanted to determine if age-related differences in the function of OSNs might contribute to an impairment of the [sense of smell](#). For this, in a collaboration with Monell Chemical Senses Center in Philadelphia, researchers biopsied cells from both age groups.

"Whereas cells from younger donors were highly selective in the odorants to which they responded, cells from older donors were more likely to respond to multiple odor stimuli"; suggesting a loss of

specificity," the study said.

The scientists had expected to find less OSNs in older subjects and they thought the neurons would be less likely to respond to stimuli. In fact, they found as many neurons in the old as the young but those over 60 could not differentiate between two odors, they blended together.

The study suggests that changes in nose and the brain contribute to smell loss in the elderly, Restrepo said.

Provided by University of Colorado Denver

APA citation: Researcher finds elderly lose ability to distinguish between odors (2011, November 10)
retrieved 4 May 2021 from <https://medicalxpress.com/news/2011-11-elderly-ability-distinguish-odors.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.