

Lung-protective ventilation ups outcomes post-abdominal op

August 1 2013



For patients at intermediate to high risk of pulmonary complications after major abdominal surgery, lung-protective ventilation with the use of low tidal volumes and positive end-expiratory pressure is associated with improved clinical outcomes, according to a study published in the Aug. 1 issue of the *New England Journal of Medicine*.

(HealthDay)—For patients at intermediate to high risk of pulmonary complications after major abdominal surgery, lung-protective ventilation with the use of low tidal volumes and positive end-expiratory pressure is associated with improved clinical outcomes, according to a study published in the Aug. 1 issue of the *New England Journal of Medicine*.

Emmanuel Futier, M.D., from the Hôpital Estaing in Clermont-Ferrand, France, and colleagues conducted a multicenter, double-blind, parallel-group trial in which 400 adults at intermediate to high risk of pulmonary complications after major [abdominal surgery](#) were randomly allocated to receive non-protective [mechanical ventilation](#) or lung-protective

ventilation.

The researchers found that the primary outcome (composite of major pulmonary and extrapulmonary complications occurring within seven days of surgery) occurred in 10.5 percent of the lung-protective ventilation group versus 27.5 percent of the non-protective ventilation group (relative risk, 0.40). Five percent of the lung-protective ventilation group and 17 percent of the non-protective ventilation group required noninvasive ventilation or intubation for acute respiratory failure (relative risk, 0.29) over the seven-day postoperative period. The length of hospital stay was significantly shorter for patients receiving lung-protective ventilation.

"In conclusion, our study provides evidence that a multifaceted strategy of prophylactic lung-protective ventilation during surgery, as compared with a practice of non-protective mechanical ventilation, results in fewer [postoperative complications](#) and reduced health care utilization," the authors write.

Several authors disclosed financial ties to the biopharmaceutical industry.

More information: [Full Text \(subscription or payment may be required\)](#)

[Health News](#) Copyright © 2013 [HealthDay](#). All rights reserved.

Citation: Lung-protective ventilation ups outcomes post-abdominal op (2013, August 1) retrieved 7 April 2023 from <https://medicalxpress.com/news/2013-08-lung-protective-ventilation-ups-outcomes-post-abdominal.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.