

## Scientists discover environmental enrichment for TBI patients may counter shrinkage in the brain

24 September 2013

For the first time, scientists at Toronto Rehab have damaged areas affect healthy cells. found that in people with chronic moderate-severe traumatic brain injury (TBI), atrophy (shrinkage) in the brain may be countered by participating in environmental enrichment - increased physical, social and cognitive stimulation.

The paper, entitled "Environmental enrichment may protect against hippocampal atrophy in the chronic stages of traumatic brain injury," was published today in the open-access journal Frontiers in Human Neuroscience. The principal investigator of this study is Dr. Robin Green, senior scientist and clinical neuropsychologist, Toronto Rehab, UHN and Canada Research Chair in Traumatic Brain Injury.

This research study builds on Dr. Green's recent findings that suggest moderate-severe TBI may be a progressive neurological disorder - a whole new way of perceiving the condition. Only a handful of labs in the word are investigating this topic.

"The conventional wisdom about moderate-serious TBI is that there is neurological damage to the brain that manifests over the course of hours and days. Then, after a period of recovery – months to years - a plateau is reached where there are no further changes to the brain," said Dr. Green.

Dr. Green's recent findings show something else is going on. Using magnetic resonance imaging (MRI), Dr. Green and colleagues observed ongoing damage or atrophy in the brains of many people with moderate-severe TBL

Exactly what's causing this-and whether it eventually stabilizes—is unclear. At one level, inflammation, delayed apoptosis (programmed cell death) and excessive protein accumulation may play a role. What seems clearer is that the

"What we believe is going on," said Dr. Green, "is that after a serious brain injury, damaged tissue disconnects the healthy areas of the brain. Those healthy areas are under stimulated and, over time, deteriorate."

To address long-term cognitive problems in this population, Dr. Green has focused her research on tailored treatments to offset this progressive deterioration.

"Many people with moderate-severe TBI are commonly unable to continue the same level of engagement in their work, school or social lives than they were before the injury," said Dr. Green. "This decrease in environmental stimulation puts them at a greater risk of increased atrophy in the chronic stages of their brain injury."

In the study, they found that all 30 patients with moderate-severe TBI showed a positive reaction to environmental enrichment. Those patients who reported greater amounts of environmental enrichment - for example, reading, problem solving exercises, puzzles, physical activity, socializing - at 5 months after their injury showed less shrinkage of the hippocampus (associated with memory functioning) from 5 to 28 months post-injury.

"Our focus now is how to incorporate environmental enrichment into long-term rehabilitation. We are exploring the key ingredients to environmental enrichment for off-setting atrophy, and also the benefits of combining environmental enrichment with other therapies. ," explained Dr. Green.

"Although the brains are showing negative changes, many patients are still showing recovery of their functioning in spite of it," said Dr. Green. "If



we are able to offset the negative brain changes through the treatments we are developing, we may be able to very significantly improve patients' recovery and their ability to age well with brain injury."

Brain injury touches all parts of society, from construction workers and military personnel to people who experience moderate-severe TBI at home or in the community. Dr. Green is also studying the troubling problem of multiple concussions (mild brain injuries).

Dr. Green is a Canada Research Chair (tier II) in traumatic <u>brain</u> injury and head of the Cognitive Neurorehabilitation Sciences Lab at Toronto Rehab. She is an Associate Professor in the Department of Psychiatry, Division of Neurosciences at the University of Toronto, and she funded by the Canadian Institutes of Health Research, Natural Sciences and Engineering Research Council, Ontario Neurotrauma Foundation, and the Physicians' Services Incorporated.

More information: Environmental enrichment may protect against hippocampal atrophy in the chronic stages of traumatic brain injury Journal: *Frontiers in Human Neuroscience* 94.236.98.240/Human Neuroscien... .2013.00506/abstract

Provided by University Health Network APA citation: Scientists discover environmental enrichment for TBI patients may counter shrinkage in the

brain (2013, September 24) retrieved 5 September 2022 from https://medicalxpress.com/news/2013-09-scientists-environmental-enrichment-tbi-patients.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.