


Integrin cell adhesion receptors are risky cancer drug targets

11 February 2014



A possible cancer treatment strategy might in fact lead to increased metastasis in some cases. This finding from a team of LACDR researchers led by Erik Danen made the cover of the February 11 edition of Science Signaling.

The [treatment strategy](#) that is being considered involves blocking so-called "integrin" receptors. Cancer cells use these receptors to physically interact with their environment and when this is prevented the cancer cells become much weaker causing tumors to shrink. Integrin inhibitors are tested in very early clinical studies at the moment.

Some recent genetic studies had suggested that there might also be adverse effects causing some cancers to become even more aggressive. This phenomenon was not understood. The LACDR researchers discovered that so-called triple-negative [breast cancer cells](#) respond to integrin inhibition with marked changes in cell migration.

It is known that integrin receptors send important

signals into the cells and when these are missing cancer cells no longer effectively form tumors. However, it turns out that this can also stimulate cancer cells to "reprogram". The researchers found that triple-negative breast cancers, which originate from epithelial cells, lost their epithelial shape and became much more motile. For this switch, the cancer cells rewired an intracellular signaling network very much like normal [epithelial cells](#) do when they have to migrate to other locations during embryonic development. As a result, the cancer cells were no longer glued together but started spreading throughout the body.

The work indicates that although inhibition of integrin [receptors](#) can effectively inhibit tumor growth, it can also cause unwanted reprogramming of [cancer cells](#) that leads to enhanced metastasis. Triple-negative breast cancers show this response but some others do not. Future research should unravel for which integrin antagonists in combination with which cancer types this might represent a problem when considering integrins as drug targets.

Provided by Leiden University

APA citation: Integrin cell adhesion receptors are risky cancer drug targets (2014, February 11) retrieved 13 July 2022 from <https://medicalxpress.com/news/2014-02-integrin-cell-adhesion-receptors-risky.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.