

## Topical diclofenac unnecessary postphotorefractive keratectomy

9 January 2015



standardized postoperative pain regime did not alleviate post-photorefractive keratectomy pain, although it is effective in local signs like eyelid edema and conjunctival injection," the authors write. "It can be concluded that oral diclofenac is sufficient in the management of post-photorefractive keratectomy pain and addition of the topical diclofenac is unnecessary."

More information: Abstract
Full Text (subscription or payment may be required)

Copyright © 2015 HealthDay. All rights reserved.

(HealthDay)—For patients undergoing photorefractive keratectomy surgery, the administration of postoperative topical diclofenac does not alleviate pain, but is effective for local signs such as eyelid edema, according to a study published in the December issue of *Clinical* & *Experimental Ophthalmology*.

Alireza Eslampoor, M.D., from the Tehran University of Medical Sciences in Iran, and colleagues conducted a prospective randomized trial involving 68 individuals undergoing bilateral photorefractive keratectomy for myopic correction with or without astigmatism. Participants received 100 mg of extended-release oral diclofenac twice before surgery. After surgery, patients were randomized into case (diclofenac 0.1 percent drop administered for three days postoperatively) and control (given artificial tears) groups.

The researchers observed no significant betweengroup difference in <u>pain</u> level at two days after surgery. Furthermore, neither photophobia nor functional activity differed between the groups. In the control group, eyelid edema and conjunctival injection levels were significantly higher (P

"Administration of topical diclofenac to a



APA citation: Topical diclofenac unnecessary post-photorefractive keratectomy (2015, January 9) retrieved 5 October 2022 from <a href="https://medicalxpress.com/news/2015-01-topical-diclofenac-unnecessary-post-photorefractive-keratectomy.html">https://medicalxpress.com/news/2015-01-topical-diclofenac-unnecessary-post-photorefractive-keratectomy.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.