

Autosomal dominant polycystic kidney dz pain often refractory

May 9 2015



(HealthDay)—The etiology of pain in autosomal dominant polycystic kidney disease is complex, and management of pain should be approached in a stepwise manner, according to a review published in the May issue of *The Journal of Urology*.

Matthew W. Tellman, from the Indiana University School of Medicine in Indianapolis, and colleagues conducted a systematic literature review of the etiology and management of pain in autosomal dominant polycystic kidney disease and anatomy of renal innervation.

The researchers found that for most patients with autosomal dominant polycystic kidney disease, pain occurs due to renal, hepatic, and



mechanical origins. Patients may experience different types of pain complicating confirmation of etiology. Anatomical and histological assessment of renal innervation can help elucidate the mechanisms that can lead to renal pain. A stepwise approach is recommended for management of pain in autosomal dominant polycystic kidney disease. Due to the high incidence of acute causes of renal pain in autosomal dominant polycystic kidney disease, these must be ruled out first. Non-opioid analgesics and conservative interventions can be used first for chronic pain, before considering opioid analgesics. Surgical interventions such as renal cyst decortication, renal denervation, and nephrectomy can target pain from persistent renal or hepatic cysts.

"Chronic <u>pain</u> in patients with autosomal dominant <u>polycystic kidney</u> <u>disease</u> is often refractory to conservative, medical, and other noninvasive treatments," the authors write.

More information: Abstract

Full Text

Copyright © 2015 HealthDay. All rights reserved.

Citation: Autosomal dominant polycystic kidney dz pain often refractory (2015, May 9) retrieved 2 January 2023 from https://medicalxpress.com/news/2015-05-autosomal-dominant-polycystic-kidney-dz.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.