


A network of artificial neurons learns to use human language

11 November 2015



The ANNABELL model is a cognitive architecture entirely made up of interconnected artificial neurons, able to learn to communicate using human language starting from a state of 'tabula rasa' only through communication with a human interlocutor. Credit: Bruno Golosio

A group of researchers from the University of Sassari (Italy) and the University of Plymouth (UK) has developed a cognitive model, made up of two million interconnected artificial neurons, able to learn to communicate using human language starting from a state of "tabula rasa", only through communication with a human interlocutor. The model is called ANNABELL (Artificial Neural Network with Adaptive Behavior Exploited for Language Learning) and it is described in an article published in the international scientific journal *PLOS ONE*. This research sheds light on the neural processes that underlie the development of language.

How does our [brain](#) develop the ability to perform complex cognitive functions, such as those needed for language and reasoning? This is a question that certainly we are all asking ourselves, to which the researchers are not yet able to give a complete answer. We know that in the human brain there are about one hundred billion [neurons](#) that communicate by means of electrical signals. We learned a lot about the mechanisms of production and transmission of electrical signals among


neurons. There are also experimental techniques, such as functional magnetic resonance imaging, which allow us to understand which parts of the brain are most active when we are involved in different cognitive activities. But a detailed knowledge of how a single neuron works and what are the functions of the various parts of the brain is not enough to give an answer to the initial question.

We might think that the brain works in a similar way to a computer: after all, even computers work through [electrical signals](#). In fact, many researchers have proposed models based on the analogy brain-is-like-a-computer since the late '60s. However, apart from the structural differences, there are profound differences between the brain and a computer, especially in learning and information processing mechanisms. Computers work through programs developed by human programmers. In these programs there are coded rules that the computer must follow in handling the information to perform a given task. However there is no evidence of the existence of such programs in our brain. In fact, today many researchers believed that our brain is able to develop higher cognitive skills simply by interacting with the environment, starting from very little innate knowledge. The ANNABELL model appears to confirm this perspective.

ANNABELL does not have pre-coded language knowledge; it learns only through communication with a human interlocutor, thanks to two fundamental mechanisms, which are also present in the biological brain: synaptic plasticity and neural gating. Synaptic plasticity is the ability of the connection between two neurons to increase its efficiency when the two neurons are often active simultaneously, or nearly simultaneously. This mechanism is essential for learning and for long-term memory. Neural gating mechanisms are based on the properties of certain neurons (called bistable neurons) to behave as switches that can be turned "on" or "off" by a control signal coming from other neurons. When turned on, the bistable

neurons transmit the signal from a part of the brain to another, otherwise they block it. The model is able to learn, due to [synaptic plasticity](#), to control the signals that open and close the neural gates, so as to control the flow of information among different areas.

database (MacWhinney B (2000) The CHILDES Project: Tools for analyzing talk, Lawrence Erlbaum Associates, Mahwah, NJ, 3rd edition). The right side is a transcription of a conversation between a 5-years-and-10-months old child and his mother, extracted from the Warren-Leubecker corpus. Note that the human/ANNABELL dialogue system does not use punctuation, which has been added here for clarity. Credit: Bruno Golosio



More information: *PLOS ONE*,
[dx.plos.org/10.1371/journal.pone.0140866](https://doi.org/10.1371/journal.pone.0140866)

Provided by Università di Sassari

This image shows the percentage of word classes in the input (a) and output (b) sentences in the experiment that was performed for validating the model. Credit: Bruno Golosio

The cognitive model has been validated using a database of about 1500 input sentences, based on literature on early language development, and has responded by producing a total of about 500 sentences in output, containing nouns, verbs, adjectives, pronouns, and other word classes, demonstrating the ability to express a wide range of capabilities in human language processing.

SYS: ANNABELL system; TEA: human	CHI: real child; MOT: Mother
*TEA: Ann, why do not you tell, tell Dad about you playing Pac_Man .	*MOT: Christopher , why don't you tell , tell Daddy about you playing Pac_Man .
*SYS: Michael brought me to the bumpers junction .	*MOT: didn't Michael take you to play Pac_Man at bumper's junction ?
*TEA: I played Pac_Man .	*MOT: huh ?
*TEA: did you win ?	*CHI: yeh .
*SYS: yes, I won .	*MOT: well ?
*TEA: did you play other games ?	*MOT: did you win ?
*SYS: I played Space_Invaders .	*MOT: what did you do ?
*TEA: did you win ?	*CHI: I won !
*SYS: no, I did not win .	*MOT: how many games did you play ?
*TEA: how many games did you play ?	*CHI: &um , I don't know .
*SYS: I played :	*MOT: you don't know ?
*SYS: Space_Invaders, one ;	*MOT: I know what's better to talk about .
*SYS: Pac_Man, two ;	*MOT: you need to tell (th)em about , &um , junk*man .
*SYS: Donkey_Kong, three ;	*CHI: xxx .
*SYS: three games .	*MOT: your letter man !
*TEA: I know what is better to talk about .	*CHI: no !
*TEA: you need to tell them about jumble junkman .	*MOT: yes !
*SYS: jumble junkman will be my letter man .	*MOT: tell (th)em what I put all over your shirt .
*TEA: how about Harry hair ?	*MOT: &um &um .
*SYS: Harry hair will be Bob's letter man .	*CHI: sticker .
*TEA: tell me what Mum put on your shirt .	*MOT: sticker .
*SYS: a sticker .	

An extract of a side-by-side comparison between the human/ANNABELL-system dialogue on one side and the mother/real-child dialogue on the other side, based on the Warren-Leubecker corpus from the CHILDES

APA citation: A network of artificial neurons learns to use human language (2015, November 11) retrieved 12 September 2022 from <https://medicalxpress.com/news/2015-11-network-artificial-neurons-human-language.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.