


Robotic surgery may be superior to laparoscopic for uterine CA

18 November 2015



the authors write.

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2015 [HealthDay](#). All rights reserved.

(HealthDay)—For women with uterine cancer, robotic surgery is more costly but is associated with decreased length of hospital stay and higher rate of lymph node dissection, according to a study published in the November issue of the *American Journal of Obstetrics & Gynecology*.

Andrew Zakhari, M.D., from McGill University in Montreal, and colleagues compared costs and complications among women undergoing robotic and laparoscopic hysterectomy for [uterine cancer](#) using data from the Nationwide Inpatient Sample database from 2008 to 2012. A total of 10,347 women were identified who underwent laparoscopic (39 percent) or robotic (61 percent) hysterectomies.

The researchers found that more comorbid conditions were identified in women undergoing [robotic surgery](#). Compared with those undergoing laparoscopic surgery, women undergoing robotic surgery were more likely to have a [lymph node dissection](#) (73.01 versus 66.04 percent; P

"Despite the considerably greater burden of comorbidities in those undergoing robotic surgery compared with laparoscopy, the former have shorter hospital admissions, a greater rate of lymph node dissection, and similar postoperative morbidity and mortality, albeit at greater total cost,"

APA citation: Robotic surgery may be superior to laparoscopic for uterine CA (2015, November 18) retrieved 5 August 2022 from <https://medicalxpress.com/news/2015-11-robotic-surgery-superior-laparoscopic-uterine.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.