

The path from prescription painkillers to addiction

February 26 2016, by Scott Gilbert



Credit: Thinkstock/Pureradiancephoto

Abuse of prescription painkillers has become an epidemic in the United States, according to the Centers for Disease Control and Prevention. Even more concerning is that those going through withdrawal may turn to heroin as an inexpensive, easy-to-access substitute.

Dr. Vitaly Gordin, division chief of chronic pain management in the



Department of Anesthesiology at Penn State Hershey Medical Center, said it's because <u>heroin</u> is an opiate analgesic, just like drugs such as oxycodone and tramadol, which are frequently prescribed for pain control.

The problem is not with patients who use the medicines to relieve shortterm acute pain, like the kind after surgery. "The vast majority of them will very easily get off these medications as their condition improves and pain is decreasing," he said.

Nor does it lie with those who have chronic conditions that require them to be on high doses of <u>narcotic painkillers</u> for long periods of time: "There are a lot of very legitimate patients who are receiving these medicines in a chronic setting who are not abusing them."

The challenge comes when someone is taken off the medication after using a high dose for a length of time.

"Because of this declared epidemic, many <u>primary care physicians</u>, specialists and surgeons are taking these patients off the narcotics," Gordin said. "But if they don't have an exit strategy and get referred for alternate treatment, addictions counseling or rehabilitation, they can become desperate as they go through withdrawal."

Without a renewing prescription for narcotics, the patients may turn to heroin.

Unlike with prescription painkillers, which are regulated by the Food and Drug Administration, it's hard to verify exactly what is in the heroin you buy from a dealer.

"Several years ago there was a string of deaths of addicts who bought heroin laced with a potent painkiller called fentanyl," Gordin said.



"Because it's all an underground, illegal business, you don't know exactly what you're getting."

Many of the 20,000 deaths that occur each year from abuse of <u>prescription painkillers</u> happen when the narcotics are combined with another substance such as benzodiazepine or alcohol, which creates a dangerous—if not deadly—mix.

Gordin said patients with a history of drug abuse, untreated psychiatric conditions, or pre-adolescent abuse of any kind are much more likely to develop addictions.

"In my 17 years working here, I have never seen as many inpatients on heroin as I have in the past six to 12 months," he said. "Those who have abused heroin are getting into car accidents or involved in violent crimes because of being on the drug or trying to obtain it. I think it's directly related."

Gordin also said it is important that society begin to de-stigmatize addiction as a character flaw. "We need to understand it is a disease with psycho-social components, and we need to have resources available to both prescribing physicians and patients who need drug rehabilitation," he said.

Provided by Pennsylvania State University

Citation: The path from prescription painkillers to addiction (2016, February 26) retrieved 23 December 2022 from <u>https://medicalxpress.com/news/2016-02-path-prescription-painkillers-addiction.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.