

Exercise reduces fatigue, depression, paresthesia in MS

May 10 2016



(HealthDay)—For females with multiple sclerosis (MS), the addition of

exercise programs to standard immune modulatory therapy can improve fatigue, depression, and paresthesia, according to a study published in the May issue of *Medicine & Science in Sports & Exercise*.

Nazanin Razazian, M.D., from the Kermanshah University of Medical Sciences in Iran, and colleagues examined the effect of yoga or aquatic exercise on fatigue and depression in patients with MS. Fifty-four women with MS were randomized to yoga, aquatic exercise, or non-exercise control, with no change in their existing immune modulatory therapy. Questionnaires covering symptoms of fatigue, depression, and paresthesia were completed at baseline and on study completion eight weeks later.

The researchers found that fatigue, depression, and paresthesia decreased significantly in the yoga and aquatic exercise groups compared with the non-exercise control condition, and over time. The likelihood of reporting moderate to severe depression was 35-fold higher on study completion in the non-exercise control condition, compared with the intervention conditions (yoga and aquatic exercise).

"The pattern of results suggests that for [females](#) with MS and treated with standard immune regulatory medication, exercise training programs such as yoga and aquatic exercising positively impact on core symptoms of MS, namely, [fatigue](#), [depression](#), and paresthesia," the authors write. "Exercise training programs should be considered in the future as possible complements to standard treatments."

More information: [Full Text \(subscription or payment may be required\)](#)

Copyright © 2016 [HealthDay](#). All rights reserved.

Citation: Exercise reduces fatigue, depression, paresthesia in MS (2016, May 10) retrieved 19 July 2023 from <https://medicalxpress.com/news/2016-05-fatigue-depression-paresthesia-ms.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.