

Narrow wavelength of UV light safely kills drug-resistant bacteria

8 June 2016



Credit: Lynn Greyling/public domain

Scientists from the Center for Radiological Research at Columbia University Medical Center have shown that a narrow wavelength of ultraviolet (UV) light safely killed drug-resistant MRSA bacteria in mice, demonstrating a potentially safe and cost-effective way to reduce surgical site infections, a major public health concern.

A paper just published by *PLOS ONE* describes how the Columbia team found that a particular wavelength of UV [light](#) known as "far-UVC" (in this instance, 207 nanometers) is not only as effective as conventional germicidal UV light in killing MRSA, as shown in their previously published study, but also shows for the first time that, unlike conventional germicidal UV, far-UVC does not cause biological damage to exposed skin.

"Our new findings show that far-UVC light has enormous potential for combating the deadly and costly scourge of drug-resistant [surgical site infections](#)," said David J. Brenner, PhD, Higgins Professor of Radiation Biophysics, director of the

Center for Radiological Research, and the senior author of the paper.

"We've known for a long time that UV light has the potential to reduce [surgical site infections](#), because UV can efficiently kill all bacteria, including drug-resistant bacteria and even so-called 'superbugs.' Unfortunately, it's not possible to use conventional germicidal UV light when people are around because it's a health hazard to patients and medical personnel. What we showed in our earlier work is that far-UVC light is as effective at killing MRSA as conventional germicidal UV light—and now with this new research, we have demonstrated that far-UVC kills bacteria but without risk of skin damage," Dr. Brenner said.

Surgical site infections (SSI) continue to be a critical health care issue in the US and worldwide. Patients who develop SSI have a mortality rate twice that of non-infected patients, and estimated annual healthcare costs in the U.S. due to SSI range from \$3 to \$10 billion.

The new idea behind Columbia's use of far-UVC light is that that, unlike conventional germicidal UV, far-UVC cannot penetrate through the outer, dead layer of skin to reach live skin cells, nor can it penetrate the outer layer of the eye. However, because bacteria and viruses are physically very small, far-UVC light can penetrate and kill them. Columbia's latest research was conducted on the skin hairless mice, which responds similarly to human skin when exposed to UV light.

"Our findings offer a potential practical pathway towards significantly reducing surgical site infection rates without risk to the health and safety of patients and medical personnel," added Dr. Brenner. "One of our next steps is to explore direct studies in surgical settings, in larger animals and humans. From there we can investigate other new applications of these exciting findings, like killing airborne [bacteria](#) and viruses such as TB and

influenza."

More information: "207-nm UV Light—A Promising Tool for Safe Low-Cost Reduction of Surgical Site Infections. II: In-Vivo Safety Studies" was published online on June 8, 2016 in *PLOS ONE*.

Provided by Columbia University Medical Center

APA citation: Narrow wavelength of UV light safely kills drug-resistant bacteria (2016, June 8) retrieved 27 April 2021 from <https://medicalxpress.com/news/2016-06-narrow-wavelength-uv-safely-drug-resistant.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.