

Bullying likely to result in aggressive responses by children with disabilities

October 3 2016

Children with disabilities—particularly those with learning disabilities, emotional disabilities and autism spectrum disorders—often are victims of bullying. However, very little research exists about how children with disabilities respond when they are bullied.

A new study from the University of Missouri has found that [children](#) with [disabilities](#) are more likely to respond aggressively when they are bullied, not only to their bullies but to other children as well. Chad Rose, a bullying expert and an assistant professor of special education in the MU College of Education, says this aggressive response often results in these children being labelled as bullies themselves, when that is not an accurate assessment of their behavior.

"Because students with disabilities often lack age-appropriate social and communication skills, they may act out aggressively as a response to being bullied," Rose said. "If a child reaches into their 'bully response tool box' and the only tools they have are physical or verbal aggression, they likely will respond aggressively. Unfortunately, many of these children are identified as bullies themselves, which means they will receive bully interventions from teachers, rather than what they really need, which is social and communication skill instruction."

For his study, Rose and his research team surveyed nearly 1,200 middle and high-school-aged students with disabilities to determine the mental health outcomes of bullying. They found that students with disabilities, when victimized by bullying, are more likely to respond aggressively

either through bullying or fighting. Also, they found that students with higher levels of depression and hostility and lower levels of self-esteem were more likely to be negatively affected by bullying and more likely to react aggressively.

Rose defines bullying as the repeated imbalance of physical or emotional power with the intent to cause either physical or emotional harm. Rose says that when people are bullied, they can respond in one of two ways: proactively or reactively. Proactive bullying includes behaviors that traditionally are viewed as bullying based on an imbalance of power and intent to cause harm. On the other hand, reactive aggression includes direct and immediate behaviors often that are related to inappropriate regulation of emotion. Rose says teachers and parents need to do a better job of teaching children proper bully-response skills to prevent proactive and reactive aggression.

"Children with disabilities often lash out physically as a defense mechanism against bullying," Rose said. "They may not be classified as [bullies](#) because they don't intend harm and often they do not hold an imbalance of power over their peers. It is possible that they don't possess the appropriate response skills. By intervening with these children and giving them the proper skills and tools, we can not only help prevent future bullying of these children but improve their psychosocial outcomes as well."

Provided by University of Missouri-Columbia

Citation: Bullying likely to result in aggressive responses by children with disabilities (2016, October 3) retrieved 26 January 2023 from <https://medicalxpress.com/news/2016-10-bullying-result-aggressive-responses-children.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.