

## Less morbidity seen for high-intensity focused ultrasound of fibroids

May 1 2017



(HealthDay)—High-intensity focused ultrasound (HIFU) causes



substantially less morbidity than surgery for treatment of uterine fibroids, with similar long-term quality of life (QoL), according to a study published online April 19 in *BJOG*.

Jinyun Chen, from Chongqing Medical University in China, and colleagues evaluated the clinical outcomes of HIFU and <u>surgery</u> in treating <u>uterine fibroids</u> among Chinese women with symptomatic fibroids participating in the multicenter IDEAL exploratory study. Of the 2,411 participants, 1,353 received HIFU, 472 hysterectomy and 586 myomectomy.

The researchers found that compared with surgery patients, HIFU patients were significantly younger, slimmer, better educated, and wealthier. After HIFU, both Uterine Fibroid Symptom score and QoL improved more rapidly than after surgery, although absolute differences were small. Major adverse events occurred in 0.2 percent of HIFU patients and in 12.6 percent of surgical cases.

"Despite group baseline differences and lack of blinding, these findings support the need for an RCT of HIFU treatment for fibroids," write the authors.

Several authors disclosed ties to Chongqing Haifu Medical Technology Inc., and one disclosed ties to NERCUM.

**More information:** Abstract

Full Text (subscription or payment may be required)

Copyright © 2017 HealthDay. All rights reserved.

Citation: Less morbidity seen for high-intensity focused ultrasound of fibroids (2017, May 1) retrieved 10 February 2023 from <a href="https://medicalxpress.com/news/2017-05-morbidity-high-">https://medicalxpress.com/news/2017-05-morbidity-high-</a>



## intensity-focused-ultrasound-fibroids.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.