

An ingredient in cannabis may be useful for treating psychosis – new study

15 December 2017, by Philip Mcguire



implicated in psychosis.

Previous research at King's College London has demonstrated that cannabidiol (CBD), a substance found in cannabis, has broadly opposite effects on brain function and on symptoms to the main psychoactive compound in cannabis, delta-9-tetrahydrocannabinol (THC).

Cannabis sativa. Credit: Kojin/Shutterstock.com

Psychiatric patients treated with a substance found in cannabis, cannabidiol, showed a significant reduction in psychotic symptoms and were also more likely to be rated as "improved" by their psychiatrist, our <u>latest study</u> shows.

Psychotic disorders affect two to three per cent of the population. They usually begin in early adulthood and the symptoms can be lifelong. Patients typically experience paranoia, hallucinations and a lack of motivation.

The main treatment for psychosis is <u>antipsychotic</u> <u>drugs</u>, which have been the first line of treatment since the 1950s. These drugs are usually partially effective, but in around a third of patients they don't work at all. They also can have significant side effects.

A new class of treatment

Antipsychotic medications act by blocking dopamine receptors in the brain. However, dopamine is not the only neurotransmitter whose function is altered during psychosis. And, in some patients, dopamine function can even be relatively normal. So there is a need for new drugs that target other neurotransmitter systems that are



Antipsychotic drugs can cause severe side effects. Credit: ANASTASIIAKU/Shutterstock.com

THC is responsible for many of the harmful effects of cannabis, such as paranoia and anxiety, whereas CBD appears to reduce these symptoms. This suggests that CBD might be useful as a treatment for psychosis and other <u>mental health</u> <u>disorders</u>.

Our study, published in the *American Journal of Psychiatry*, is the first placebo-controlled clinical trial of CBD in patients with psychosis.

We gave 88 patients with psychosis either CBD or a placebo for six weeks alongside their existing antipsychotic medication. Before and after treatment, researchers assessed their level of



psychotic symptoms and the patient's psychiatrist rated their condition overall. Neither the researchers nor the psychiatrists knew whether the patients were receiving CBD or placebo.

There was a reduction in symptoms in the patients treated with CBD, and the clinicians looking after them thought that they had got better. The rate of possible side effects in patients given CBD was no more than in patients who were given the placebo.

While it is still unclear exactly how CBD works, we know that it acts in a different way to antipsychotic medication, so it could represent a new class of treatment. The absence of side effects is also potentially important, as a key problem in caring for patients with psychosis is that they are often reluctant to take antipsychotic drugs because of concerns about side effects.

The next steps are to carry out larger trials of CBD to confirm these initial promising findings, and to assess the effectiveness of CBD in other types of patient.

This article was originally published on <u>The</u> <u>Conversation</u>. Read the <u>original article</u>.

Provided by The Conversation APA citation: An ingredient in cannabis may be useful for treating psychosis – new study (2017, December 15) retrieved 12 August 2022 from <u>https://medicalxpress.com/news/2017-12-ingredientcannabis-psychosis.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.