

Self-reported symptoms in elderly predict readmission

20 December 2017



breath, anxiety, depression, and drowsiness. Overall Edmonton Symptom Assessment System score was also a significant predictor of hospital return.

"Including symptoms in [risk stratification](#) of high-risk [elderly adults](#) may help target interventions and reduce readmissions," the authors write.

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

(HealthDay)—Post-discharge symptoms self-reported by frail, elderly adults may predict 30-day hospital readmission and emergency department visits, according to a study published online Dec. 12 in the *Journal of the American Geriatrics Society*.

Lynn S. Borkenhagen, D.N.P., from the Mayo Clinic in Rochester, Minn., and colleagues assessed how much self-reported symptoms predict unplanned 30-day readmission or emergency department visits among 230 high-risk, frail, elderly adults (mean age, 83.5) enrolled in a post-hospitalization care-transition program.

The researchers found that 51 participants returned to the hospital within 30 days of discharge: 13 had emergency department visits and 38 were readmitted. There were no significant differences in age, sex, or Charlson Comorbidity Index between returning and nonreturning participants. However, returning participants were significantly more likely to report shortness of

APA citation: Self-reported symptoms in elderly predict readmission (2017, December 20) retrieved 12 October 2022 from <https://medicalxpress.com/news/2017-12-self-reported-symptoms-elderly-readmission.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.