

# Prompt clot-grabbing treatment produces better stroke outcomes

January 25 2018

---

Clot removal may be beneficial up to 24 hours following stroke in carefully selected patients, but every hour delayed after symptoms begin may be associated with more disability, according to preliminary research presented at the American Stroke Association's International Stroke Conference 2018, a world premier meeting dedicated to the science and treatment of cerebrovascular disease for researchers and clinicians.

The international DAWN trial previously demonstrated that patients with a small area of irreversible brain damage and a large area of brain at jeopardy of being lost if the [clot](#) remains are more likely to recover with minimal disability if the clot is removed up to 24 hours after symptoms begin or were noticed. It is already well-established that the benefit of clot removal declines each hour during the first 6 hours after symptoms are detected.

In the current analysis of treatment between 6 and 24 hours after symptoms were observed, or after the person was last seen to be well, researchers found:

- each 1-hour delay reduces the chance of recovery with minimal or no disability by 11 percent; and
- treatment remains beneficial through 24 hours, with patients who had their clots removed being 35.5 percent more likely to have minimal or no disability 90 days later, but the overall effect of treatment declines with time.

The current results demonstrate the importance of prompt imaging and treatment of patients with clot-caused [stroke](#), even in those who wake up having experienced a stroke or who for other reasons are not identified in the first few hours after the onset of symptoms.

Provided by American Heart Association

Citation: Prompt clot-grabbing treatment produces better stroke outcomes (2018, January 25) retrieved 6 January 2023 from <https://medicalxpress.com/news/2018-01-prompt-clot-grabbing-treatment-outcomes.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.