

Factors for poor HRQOL ID'd in patients treated for glaucoma

26 February 2018



(four of six subscales); treatment group (three of six subscales); lower worst-eye visual acuity (five of six subscales); lower best-eye visual acuity (two of six subscales); and younger age (two of six subscales). Glaucoma drainage device was correlated with worse HRQOL in three and two Adult Strabismus-20 questionnaire subscales compared with trabeculectomy and medical treatment, respectively.

"Overall, poor HRQOL in patients with glaucoma is moderately associated with worse diplopia, lower mean deviation on visual field testing in either eye, poorer [visual acuity](#) in either eye, treatment type, and younger age," the authors write. "Psychosocial effects of glaucoma drainage device should be considered when counseling patients with glaucoma."

More information: [Abstract/Full Text](#)

(HealthDay)—Reduced health-related quality of life (HRQOL) in surgically and medically treated patients with glaucoma is associated with factors including worse diplopia, poorer visual acuity in either eye, and treatment type, according to a study published online Feb. 22 in *JAMA Ophthalmology*.

Copyright © 2018 [HealthDay](#). All rights reserved.

Cheryl L. Khanna, M.D., from the Mayo Clinic in Rochester, Minn., and colleagues conducted a [prospective cohort study](#) involving 160 consecutive, prospectively enrolled medically or surgically treated adult patients with [glaucoma](#); 36 had undergone glaucoma drainage device surgery, 51 underwent trabeculectomy, and 73 were medically treated. Patients completed two HRQOL questionnaires.

The researchers found that there was a correlation for reduced HRQOL with worse diplopia on six subscales. There were correlations for reduced HRQOL with lower best-eye mean deviation (five of six subscales); lower worst-eye mean deviation

APA citation: Factors for poor HRQOL ID'd in patients treated for glaucoma (2018, February 26)
retrieved 5 May 2021 from <https://medicalxpress.com/news/2018-02-factors-poor-hrqol-idd-patients.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.