

# Lactation lowers risk of T2DM after gestational diabetes

April 5 2018

---



(HealthDay)—For women with previous gestational diabetes mellitus

(GDM), lactation is associated with reduced risk of type 2 diabetes mellitus (T2DM), although there is no benefit for long-term lactation, according to a review and meta-analysis published online March 25 in the *Journal of Diabetes Investigation*.

Lijun Feng, from Zhejiang University in Hangzhou, China, and colleagues conducted a systematic review to examine the effect of [lactation](#) on the development of T2DM in [women](#) with prior GDM. The meta-analysis included 13 cohort studies.

The researchers found that lactation was significantly associated with a lower risk of T2DM compared with no lactation (relative risk, 0.66; 95 percent [confidence](#) interval, 0.48 to 0.90; P

"This meta-analysis demonstrated that lactation was associated with a lower risk of T2DM in women with prior GDM," the authors write. "Further, no significant relationship between long-term lactation and T2DM risk was detected."

**More information:** [Abstract/Full Text](#)

Copyright © 2018 [HealthDay](#). All rights reserved.

Citation: Lactation lowers risk of T2DM after gestational diabetes (2018, April 5) retrieved 14 December 2022 from <https://medicalxpress.com/news/2018-04-lactation-lowers-t2dm-gestational-diabetes.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--