

California Aedes mosquitoes capable of spreading Zika

June 21 2018



Collection of *Aedes* saliva for Zika virus testing Credit: Olivia Winokur and Brad Main



Over the last five years, Zika virus has emerged as a significant global human health threat following outbreaks in South and Central America. Now, researchers reporting in *PLOS Neglected Tropical Diseases* have shown that invasive mosquitoes in California—where cases of Zika in travelers have been a regular occurrence in recent years—are capable of transmitting Zika.

Zika virus (ZIKV) is a mosquito-transmitted flavivirus that has been known for more than a half century, but recently gained attention after it began spreading through South America and was confirmed as a cause of Guillain-Barre syndrome and congenital Zika syndrome in infants. Several species of *Aedes* mosquitoes have been confirmed as vectors of ZIKV in the lab. But studies have also suggested that mosquitoes of the same species from different regions may have different competencies as vectors.

In the new work, Lark Coffey and Chris Barker of the University of California, Davis, USA, and their research teams infected Californian *Aedes aegypti, Culex tarsalis,* and *Culex quinquefasciatus* with three different strains of ZIKV— one from a 2015 Puerto Rico outbreak, one from a Brazil outbreak in 2015, and an ancestral strain from Malaysia in 1966. Each mosquito was allowed to feed on an infected mouse and was then followed to determine if it could transmit ZIKV.

No ZIKV was detected in the saliva of either *Culex* mosquito species 14 and 21 days after infection. However, 85 to 90 percent of the *Aedes* mosquitoes had ZIKV RNA in their saliva, for all strains of the virus. Transmission rates were similar between viruses. On average, mosquitoes infected with the Malaysian strain of ZIKV had the highest levels of viral RNA.

"Understanding the mosquito species that vector ZIKV is important for estimating regional outbreak potential and for informing local mosquito



control strategies," the researchers say. "Vector control efforts targeting ZIKV should remain focused on reducing urban *Aedes* populations."

More information: Main BJ, Nicholson J, Winokur OC, Steiner C, Riemersma KK, et al. (2018) Vector competence of Aedes aegypti, Culex tarsalis, and Culex quinquefasciatus from California for Zika virus. *PLOS Neglected Tropical Diseases* 12(6): e0006524. doi.org/10.1371/journal.pntd.0006524

Provided by Public Library of Science

Citation: California Aedes mosquitoes capable of spreading Zika (2018, June 21) retrieved 13 January 2023 from <u>https://medicalxpress.com/news/2018-06-california-aedes-mosquitoes-capable-zika.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.