

Overweight or smoking mums cause 'worrying changes' to unborn children's thyroid

October 23 2018, by Euan Wemyss



Credit: CC0 Public Domain

Smoking or being overweight during pregnancy causes 'worrying changes' to the development of the unborn baby's thyroids, and could predispose them to disease after birth, according to a new study from the



University of Aberdeen.

The correct level of thyroid hormone is essential for normal growth and development of the baby in the womb and of the children after birth. This includes normal brain development.

Around 3 percent of pregnant women do not make enough <u>thyroid</u> <u>hormone</u> and this is linked with increased risk of problems like autism and hyperactivity in the children.

An <u>unborn baby</u>'s thyroid gland starts to become important for the thyroid hormones as early as the second trimester of pregnancy, however very little is known about the thyroid gland of the baby in the womb.

Researchers at the Universities of Aberdeen, Glasgow, Manitoba (Canada) and Institut de Sante Publique du Quebec (Canada) studied the thyroid glands and thyroid hormones of 93 normal human foetuses between 12 and 20 weeks of gestation.

The study, published today in *BMC Medicine* found that if the mother smoked, the baby's <u>thyroid hormones</u> were altered regardless of the sex of the baby but in daughters the hormone signal from the brain also increases to produce this effect.

More surprisingly, they found that if the mother was overweight (a BMI over 25) female foetuses were affected far more than male foetuses. They found that the thyroid glands were heavier with changes in levels of key genes. They also found abnormal development, with more disorganised or poorly developed areas, in the female foetus thyroids.

Prof Paul Fowler of the University of Aberdeen said: "Thyroid hormones are so important for health and development that lifestyle risks to the baby in the womb, and after birth, need to be better



understood.

"Thyroid diseases are the most common causes of <u>hormone</u> problems in women of reproductive age. Maternal lifestyle, such as cigarette smoking or being overweight, is also linked with reduced health of the offspring, including abnormal behaviour and metabolism.

"Both smoking while pregnant and being overweight or obese during pregnancy are linked with increased health risks in the offspring. Such risks include obesity and cognition problems in the children. This is why we wanted to understand what effects maternal smoking, or being overweight, were having on the baby's thyroid systems."

Dr. Panagiotis Filis, a Medical Research Council funded post-doctoral scientist at the University of Aberdeen and first author of the project, added: "Our results show for the first time that if the mother smokes or is overweight, there are worrying changes in the development and function of her baby's <u>thyroid gland</u>.

"The effects are different between these two lifestyle factors and also have sex-specific aspects. The finding of greater effects in female fetuses is interesting given that <u>thyroid disease</u> is around seven times more common in women than men.

"Overall this study shows that the mother's lifestyle choices, cigarette smoking and being overweight, are affecting the <u>development</u> of her children's <u>thyroid</u> systems, probably predisposing them to disease after birth."

More information: Panagiotis Filis et al. Maternal smoking and high BMI disrupt thyroid gland development, *BMC Medicine* (2018). DOI: 10.1186/s12916-018-1183-7



Provided by University of Aberdeen

Citation: Overweight or smoking mums cause 'worrying changes' to unborn children's thyroid (2018, October 23) retrieved 6 May 2023 from https://medicalxpress.com/news/2018-10-overweight-mums-unborn-children-thyroid.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.