

Severe vitamin D deficiencies in UK South Asian population puts their health at risk

4 August 2020



Biobank South Asians had a very severe deficiency

Credit: CC0 Public Domain

Twenty percent of the middle-aged UK South Asian population may have a very severe vitamin D deficiency, a new study in the *British Journal of Nutrition* reports. Such deficiency can lead to health problems such as osteomalacia (softening of the bones) and other chronic diseases.

Vitamin D helps regulate the amount of calcium and phosphate in the body, which are needed to maintain bone health. Deficiencies of the <u>vitamin</u> has been linked to increased risks of developing hypertension, respiratory infections, <u>cardiovascular disease</u> and some cancers.

In the largest study of its kind, researchers from the University of Surrey, using data from the UK Biobank, investigated the vitamin D status of 6,433 South Asian people (Bangladeshi, Indian and Pakistani) aged 40-69 years old living in the UK. Although UK Biobank data cannot be used to formally estimate the true prevalence of vitamin D deficiency in a population it provides a snapshot of the situation.

Researchers found that 20 percent of the UK



APA citation: Severe vitamin D deficiencies in UK South Asian population puts their health at risk (2020, August 4) retrieved 28 June 2022 from https://medicalxpress.com/news/2020-08-severe-vitamin-d-deficiencies-uk.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.