


Patients with kidney disease—even without anemia—may benefit from iron treatment

July 9 2021



This image shows a cross section of a kidney. Credit: Holly Fischer/Wikipedia

New research indicates that treating iron deficiency, even in the absence of anemia, may benefit patients with kidney disease. The findings appear in an upcoming issue of *JASN*.



Iron deficiency occurs in 30% to 45% of patients with chronic <u>kidney</u> <u>disease</u> (CKD), and because iron is important for the production of red blood cells (or erythropoiesis), low levels can lead to anemia.

Clinical trials in patients with <u>heart failure</u> and <u>iron deficiency</u> have shown that boosting patients' iron levels improves their cardiovascular health regardless of whether patients have anemia. Roberto Pecoits-Filho, MD, Ph.D., Murilo Guedes, MD (Arbor Research Collaborative for Health, in Ann Arbor, Michigan), and their colleagues looked to see if this might also be true in the Chronic Kidney Disease Outcomes and Practice Patterns Study (CKDopps), an observational study of patients with advanced non-dialysis CKD.

Among 5,145 patients with CKD from Brazil, France, the United States, and Germany who were followed for a median of 3 years, there were 47 deaths per 1,000 patients each year, and there were 48 major cardiovascular events per 1,000 patients each year. Iron deficiency was linked with higher risks of death and cardiovascular events, in patients with and without anemia.

"Intervention studies addressing the impact of iron deficiency treatment beyond its erythropoietic effects are necessary to challenge the anemia-focused paradigm of iron deficiency management in CKD, potentially fostering more optimal strategies for improving patient outcomes," said Dr. Pecoits-Filho. He noted that randomized controlled <u>clinical trials</u> are needed to establish the role of iron treatment, even in the absence of anemia, in patients with CKD.

More information: Murilo Guedes et al, Serum Biomarkers of Iron Stores Are Associated with Increased Risk of All-Cause Mortality and Cardiovascular Events in Nondialysis CKD Patients, with or without Anemia, *Journal of the American Society of Nephrology* (2021). DOI: 10.1681/ASN.2020101531



Provided by American Society of Nephrology

Citation: Patients with kidney disease—even without anemia—may benefit from iron treatment (2021, July 9) retrieved 28 March 2023 from https://medicalxpress.com/news/2021-07-patients-kidney-diseaseeven-anemiamay-benefit.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.