

# Neuroscientists learn how channels fine-tune neuronal excitability

January 26 2011

---

Scientists in the Hotchkiss Brain Institute at the Faculty of Medicine, University of Calgary, have discovered a new mechanism that nerve cells (neurons) use to fine-tune their electrical output. The exciting discovery, published this week in the prestigious journal *Nature Neuroscience*, provides new insights about how the activity of the nervous system is regulated at the cellular level.

Nerve cells in our nervous system use electrical impulses to transmit signals throughout our body. One way that they do this is through the trafficking of calcium channels through to the outer surface ([plasma membrane](#)) of the cell. Calcium entry into a neuron through a calcium channel is a critical first step in allowing communication between [neurons](#).

HBI researchers Gerald Zamponi Ph.D., Christophe Altier Ph.D. and Agustin Garcia-Caballero Ph.D. study how calcium channels, and the proteins that associate with them, help control nerve cell activity. They explored how one such protein, the beta subunit, can act as a regulatory mechanism for the 'L-type' calcium channel. These channels play an important role in the proper functioning of nerve, muscle, and cardiac pacemaker cells, but when the channels are overactive this has negative consequences that can give rise to conditions such as autism and hypertension.

The new finding adds significantly to our understanding of calcium channel function in health and disease, including several debilitating

conditions. "The abnormal regulation of 'L-type' calcium channels has been linked to conditions such as epilepsy, [cardiac arrhythmia](#) and chronic pain" says Altier, "and so understanding the role of regulatory influences such as the beta subunit will be an important part of treating these diseases."

These channels control when, where and how much calcium is allowed to enter the cell, determining not only that cell's 'electrical' response, but also its ability to regulate gene expression and other cellular functions. They achieve this fine balance in numerous ways, including by associating with auxiliary proteins such as the calcium channel beta subunit. Researchers know the beta subunit can regulate the number of calcium channels on the membrane of a cell but until now, it wasn't known how it achieved this effect.

In their paper, Zamponi and colleagues reveal the mechanism by which the beta subunit regulates 'L-type' calcium channel movement. They show that the beta subunit stabilizes the channel and blocks a site that would otherwise mark the channel for removal and degradation, a process called endoplasmic reticulum-associated protein degradation (ERAD).

"The beta subunit essentially acts as a molecular switch," says Zamponi, Head of the Department of Physiology & Pharmacology, "it determines the fate of the channels by controlling where they end up and therefore if they can let calcium into the cell or not."

Zamponi believes that revealing the mechanism by which the beta subunit regulates sorting and trafficking of 'L-type' [calcium channels](#) will highlight fundamental regulatory mechanisms that are common in other calcium channel types.

**More information:** Study can be found at *Nature Neuroscience*:

[www.nature.com/neuro/journal/v ... nt/full/nn.2712.html](http://www.nature.com/neuro/journal/v...nt/full/nn.2712.html)

Provided by University of Calgary

Citation: Neuroscientists learn how channels fine-tune neuronal excitability (2011, January 26)  
retrieved 15 July 2023 from <https://medicalxpress.com/news/2011-01-neuroscientists-channels-fine-tune-neuronal.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.