

Brief video training dramatically boosts hands-only CPR attempts

March 8 2011

Study participants who viewed a brief hands-only cardiopulmonary resuscitation (CPR) video were more likely to attempt CPR, and perform better quality CPR in an emergency than participants who did not view the short videos, according to research reported in *Circulation: Cardiovascular Quality and Outcomes*.

Each year, almost 300,000 people suffer out-of-hospital cardiac arrests in the United States. Survival rates from these events tend to be extremely low. However, research has shown that [bystander CPR](#) can double - even triple - survival from out-of-hospital cardiac arrest.

In the United States, bystanders attempt CPR only about 26 percent of the time, according to Bentley J. Bobrow, M.D., lead author of the study and clinical associate professor in the Department of Emergency Medicine in the Maricopa Medical Center in Phoenix, Arizona and the University of Arizona Emergency Medicine Research Center.

"Chest compression-only CPR, also known as hands-only CPR, has been shown in studies to be at least as effective as standard CPR with mouth-to-mouth ventilation for adult primary cardiac arrest victims," Bobrow said. "And because of its simplicity, hands-only CPR may be quicker and easier for lay rescuers to learn, remember and perform than conventional CPR."

Bobrow and colleagues conducted a study of 336 adults without recent CPR training and randomized the participants into four groups:

- No training (control group of 51 participants)
- Ultra brief video (UBV): watched a 60-second video (95 participants)
- Brief video (BV): watched a five-minute video (99 participants)
- Brief video with practice (BVP): watched an eight-minute video with a practice training session using a manikin (91 participants)

They then tested the participants' ability to perform CPR during an adult out-of-hospital [cardiac arrest](#) simulation. About half of the trained participants underwent testing immediately and half after two months. They found that nearly a quarter (23.5 percent) of the untrained group did not attempt any CPR vs. less than 1 percent (.7 percent) from all the training groups combined. Trained subjects in the immediate and delayed evaluation groups were significantly more likely to attempt CPR compared to untrained subjects.

All training groups had significantly higher median compression rates compared to the control group (62 compressions-per-minute). In the immediate testing group, the median rates of compressions-per-minute were: UBV (96), BV (95), and BVP (99.5). In the delayed testing group, the median compression rates were: UBV (94), BV (92.5) and BVP (90). The ideal compression rate is 100 compressions per-minute, according to the American Heart Association's 2010 Guidelines for CPR and Emergency Cardiovascular Care.

All trained groups had significantly greater median compression depth compared to the untrained group (30 mm). In the immediate testing group, the median compression depths were: UBV (41 mm), BV (42

mm) and BVP (48 mm). In the delayed testing group, the media compressions depths were: UBV (43 mm), BV (42.5) and BVP (46). The ideal compression depth is 38 mm or greater.

There were no significant differences in the median compression rate and median compression depth between participants tested immediately or tested two months later.

"This is the first controlled, randomized investigation evaluating the effectiveness of ultra-brief video training for teaching hands-only CPR to the lay public," Bobrow said. "Given that the ultra-brief video [training](#) in our study is only 60 seconds, the CPR performance results are striking. "This finding has enormous public health implications because of the documented hesitancy of untrained rescuers to even attempt CPR and because it is known that any bystander resuscitation attempt improves outcomes compared to no CPR."

Provided by American Heart Association

Citation: Brief video training dramatically boosts hands-only CPR attempts (2011, March 8) retrieved 13 May 2023 from <https://medicalxpress.com/news/2011-03-video-boosts-hands-only-cpr.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--