

Scientists identify gene linking brain structure to intelligence

February 11 2014

For the first time, scientists at King's College London have identified a gene linking the thickness of the grey matter in the brain to intelligence. The study is published today in *Molecular Psychiatry* and may help scientists understand biological mechanisms behind some forms of intellectual impairment.

The researchers looked at the cerebral cortex, the outermost layer of the human <u>brain</u>. It is known as 'grey matter' and plays a key role in memory, attention, perceptual awareness, thought, language and consciousness. Previous studies have shown that the thickness of the <u>cerebral cortex</u>, or '<u>cortical thickness</u>', closely correlates with intellectual ability, however no genes had yet been identified.

An international team of scientists, led by King's, analysed DNA samples and MRI scans from 1,583 healthy 14 year old teenagers, part of the IMAGEN cohort. The teenagers also underwent a series of tests to determine their verbal and non-verbal intelligence.

Dr Sylvane Desrivières, from King's College London's Institute of Psychiatry and lead author of the study, said: "We wanted to find out how structural differences in the brain relate to differences in intellectual ability. The <u>genetic variation</u> we identified is linked to synaptic plasticity – how neurons communicate. This may help us understand what happens at a neuronal level in certain forms of intellectual impairments, where the ability of the neurons to communicate effectively is somehow compromised."



She adds: "It's important to point out that intelligence is influenced by many genetic and environmental factors. The gene we identified only explains a tiny proportion of the differences in intellectual ability, so it's by no means a 'gene for intelligence'."

The researchers looked at over 54,000 genetic variants possibly involved in brain development. They found that, on average, teenagers carrying a particular gene variant had a thinner cortex in the left cerebral hemisphere, particularly in the frontal and temporal lobes, and performed less well on tests for <u>intellectual ability</u>. The genetic variation affects the expression of the NPTN gene, which encodes a protein acting at neuronal synapses and therefore affects how brain cells communicate.

To confirm their findings, the researchers studied the NPTN gene in mouse and <u>human brain</u> cells. The researchers found that the NPTN gene had a different activity in the left and right hemispheres of the brain, which may cause the left hemisphere to be more sensitive to the effects of NPTN mutations. Their findings suggest that some differences in intellectual abilities can result from the decreased function of the NPTN gene in particular regions of the left brain hemisphere.

The genetic variation identified in this study only accounts for an estimated 0.5% of the total variation in intelligence. However, the findings may have important implications for the understanding of biological mechanisms underlying several psychiatric disorders, such as schizophrenia, autism, where impaired cognitive ability is a key feature of the disorder.

More information: Desrivières, S. et al. 'Single nucleotide polymorphism in the neuroplastin locus associates with cortical thickness and intellectual ability in adolescents' published in *Molecular Psychiatry*.



Provided by King's College London

Citation: Scientists identify gene linking brain structure to intelligence (2014, February 11) retrieved 20 July 2023 from <u>https://medicalxpress.com/news/2014-02-scientists-gene-linking-brain-intelligence.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.