

## US pediatric hospitals vary greatly in costs, practices for children with asthma

## July 12 2016

Children's hospitals vary greatly in managing inpatients with asthma, according to researchers who analyzed hospital records in a large national database. Even when patients were grouped by characteristics such as age or severity of illness, hospitals differed significantly in inpatient costs, length of stay, and time spent in the intensive care unit (ICU).

"As the most prevalent chronic illness in children, asthma imposes a major financial burden on many health care systems," said study leader Jeffrey H. Silber, M.D., Ph.D., director of the <u>Center for Outcomes</u> <u>Research at The Children's Hospital of Philadelphia (CHOP)</u>. "If hospitals can better understand if their care practices are disproportionately expensive and inefficient compared to other hospitals, they may be better able to pinpoint opportunities for quality improvements."

Silber and colleagues from CHOP and the Perelman School of Medicine at the University of Pennsylvania co-authored a study that appeared online July 11 in *JAMA Pediatrics*.

The research team analyzed data from nearly 49,000 children hospitalized for asthma at 37 major nonprofit U.S. children's hospitals in the Pediatric Health Information dataset. All the children were hospitalized during 2011 to 2014.

The study team used a new analytical tool they developed called



"template matching." That tool grouped patients by different characteristics to create templates that could be compared to matched patient templates derived from each hospital. This matching system, said Silber, allows hospital to audit their costs and resource use in a more refined way than simply reporting if a hospital is more or less expensive in an aggregate fashion for a given diagnosis.

In an online editorial in *JAMA Pediatrics* commenting on the study, Dr. Jay Berry of Boston Children's Hospital said that Silber and colleagues "devised a way to systematically match and compare apples with other apples and then oranges with other oranges."

The authors note that template matching enables administrators to understand a hospital's resource use at the patient level, and allows them to investigate practice differences by asking questions such as, does their <u>hospital</u> use ICUs as often as matched controls? Or are there great differences in the choices of medications prescribed for similar patients?

In the current study, the researchers found that for patients with a similar set of characteristics, median cost varied by 87 percent, total length of stay varied by 47 percent, and ICU usage was 254 percent higher, all when comparing the lower eighth to the upper eighth of hospitals.

In addition, patterns of resource use differed significantly across hospitals when classified by patient risk. In some hospitals, costs for higher-risk patients were significantly higher compared to matched controls, while in other hospitals, those costs decreased as patient risk increased.

"Although there are well-established clinical pathways for treating children with asthma, we found significant differences in how tertiarycare <u>pediatric hospitals</u> used their resources," said Silber. "However, this auditing method offers hospitals some guidance in identifying practice



styles that could improve their care."

**More information:** Jeffrey H. Silber et al, Auditing Practice Style Variation in Pediatric Inpatient Asthma Care, *JAMA Pediatrics* (2016). DOI: 10.1001/jamapediatrics.2016.0911

## Provided by Children's Hospital of Philadelphia

Citation: US pediatric hospitals vary greatly in costs, practices for children with asthma (2016, July 12) retrieved 26 January 2023 from <u>https://medicalxpress.com/news/2016-07-pediatric-hospitals-vary-greatly-children.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.