

Combining dental, medical procedures may safely limit children's anesthesia exposure

October 25 2016

Children who require both dental and non-dental medical procedures should have them completed under one general anesthesia session whenever possible, which is ideal for both the patient and family, suggests research being presented at the Anesthesiology 2016 annual meeting.

"While surgery and anesthesia are safer than they've ever been, limiting exposure is preferable, especially in [children](#), because there may be sensitivities or a greater risk of anesthesia-related complications," said Vidya T. Raman, M.D., lead author of the study and director of pre-admission testing at Nationwide Children's Hospital and clinical associate professor at The Ohio State University Medical Center, Columbus. "In addition to improving patient safety, we believe combining procedures decreases costs and improves patient satisfaction."

Every year, millions of children require surgery for dental and non-dental medical procedures. Some children require [general anesthesia](#) when undergoing restorative dental procedures, such as teeth extraction or capping. The researchers say that, when possible, these procedures should be performed in combination with other surgical interventions requiring general anesthesia, such as tonsil removal, insertion of ear tubes and diagnostic tests such as [magnetic resonance imaging](#) (MRI), which requires sedation to ensure the child doesn't move. This enables the child to undergo multiple procedures in one visit rather than over several weeks or months.

In the study, 55 children had a dental procedure combined with another non-dental medical procedure under one anesthetic. Nearly nine in 10 (87 percent) did not experience any complications. Seven (13 percent) had complications such as vomiting, pain, fever and pneumonia and of those, four (7 percent) required unplanned admission to the hospital. Most of those patients were at increased risk of hospitalization because of severe systemic disease, said Dr. Raman. Additionally, combining procedures saved an average of 30 percent, leading to a savings of approximately \$165,000 for 55 cases, researchers determined.

Electronic medical records house all of a patient's health information and help doctors identify the various recommended procedures that can safely be performed at the same time, Dr. Raman said. It is important that everyone involved - dentists, physicians and parents - be aware of all upcoming surgeries a child is scheduled for and communicate this with all parties. Some procedures are more urgent or vital, and should be performed first and should not be combined for safety reasons, such as procedures with an increased infection risk, spinal fusion and heart surgeries, she said.

"It can be logistically complex to schedule several procedures at once, but combining them can decrease costs and pleases parents because their children don't have to undergo multiple recoveries, and can return to school and activities faster," said Dr. Raman.

Provided by American Society of Anesthesiologists

Citation: Combining dental, medical procedures may safely limit children's anesthesia exposure (2016, October 25) retrieved 3 February 2023 from <https://medicalxpress.com/news/2016-10-combining-dental-medical-procedures-safely.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.