

Study finds three primary coping mechanisms used by African-American women facing intimate partner violence

January 11 2017, by Bert Gambini



A new study by Noelle St. Vil has found a variety of strategies that African American women use to survive intimate partner violence.

African-American women in abusive relationships use a variety of

strategies pulled from three general categories to survive intimate partner violence (IPV), according to a new University at Buffalo study recently published in the journal *Social Work*.

"There's this stereotype that African-American [women](#) who experience abuse are probably reacting to it a certain way, but there is a range of responses," said Noelle M. St. Vil, an assistant professor in the UB School of Social Work and the paper's lead author. "Some fight back, some turn to prayer, some turn to family and friends, and others turn to law enforcement or other outlets."

Roughly 40 percent of African-American women have experienced [intimate partner violence](#). The portrayal of victims of [intimate partner violence](#) in media, and even in previous research, is of the passive victim, which does not accurately capture the realities of African-American women, according to St. Vil.

"There are these dynamics when you look at black male/female relationships and you have to be careful of larger stereotypes we see in the media of the angry black women and the hyper-masculine black male," she said. "The most important element here in the way African-American women respond to violence is that it's not a matter of one size fits all."

Based on interviews with 29 women who had reported physical or sexual abuse by an intimate partner, St. Vil, along with research associate Bushra Sabri, research assistant Vania Nwokolo, and assistant professor Kamila Alexander and professor Jacquelyn Campbell, all from Johns Hopkins University, identified internal, interpersonal and external responses as the three general survival strategies that emerged from the research.

Internal strategies included use of religion and becoming self-reliant.

"These are women who said they turned to God," said St. Vil. "They used the church as a resource, whether it was attending services, engaging in prayer or talking to a pastor."

The external responses found the women reaching out to informal sources of support, such as family or friends, or other formal resources, from the police to domestic violence service organizations.

The interpersonal strategies found the women fighting back, which most commonly involved leaving the abuser.

For some women, this meant temporarily leaving either the room or the relationship.

One survivor told the researchers that she walked out of the room as soon as an argument began. Others said they left because they needed a break from the relationship, while still others left altogether, according to St. Vil.

Women also reported using self-defense because they were tired of being hurt, and that using violence was a way of releasing frustration and, in some cases, ending the violence.

Regardless of which strategies women used, St. Vil says there are other actions to consider.

"One of the things we need to think about is the bystander intervention piece of intimate [partner violence](#)," she said. "We hear about bystander interventions as it relates to sexual assault on college campuses and how we get kids to intervene, but we also need to think about that with intimate partner violence."

She said many of the women talked about either going to the hospital or

visiting family.

"Those are excellent intervention points," said St. Vil.

"If we can talk to families as they come into the hospital, explaining to them the nature of intimate partner violence, we can explain how to best assist a loved one by explaining how to intervene when they see things starting to escalate.

"We need to equip everyone with the skills to adequately address intimate partner violence and help those who are experiencing it," she said.

Provided by University at Buffalo

Citation: Study finds three primary coping mechanisms used by African-American women facing intimate partner violence (2017, January 11) retrieved 10 February 2023 from <https://medicalxpress.com/news/2017-01-primary-coping-mechanisms-african-american-women.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.