

## Zika virus harms testes, says study

February 23 2017, by Ziba Kashef

---



Credit: stock.adobe.com

The Zika virus reduces the size of testes in infected mice up to 21 days after infection, according to a new Yale study. The persistence of the virus in the male reproductive organ can lead to sexual transmission and may impair male fertility, the researchers said.

The study was published on Feb. 22 by *Science Advances*.

In humans, Zika [virus](#) can remain in semen months after [infection](#). However, before the current study, it was not clear how the virus affected the testes, which produce testosterone and sperm.

To examine the issue, a team of Yale researchers led by Dr. Erol Fikrig, the Waldemar Von Zedtwitz Professor of Medicine, studied mice models infected with a non-lethal strain of the Zika virus. The mice used in this study were genetically modified so the researchers could observe viral replication over an extended period of time.

The researchers found that the virus continued to replicate in testicular cells even after it was cleared from the blood. They also discovered that 21 days after infection, the testes of infected mice were significantly smaller than those of control mice.

"This study shows how the Zika virus replicates in and damages testes," said first author Ryuta Uraki. The persistence of the virus in a storage compartment known as the epididymis, which conveys sperm from the testicle to the urethra, is consistent with the reported cases of male-to-female [sexual transmission](#), he explained.

The finding of reduced testicular size—known as testicular atrophy—indicates a potential long-term effect on [male fertility](#). "These results suggest that infection can cause reproductive deficiency in males," Uraki noted.

The study results, which extend recent findings by other researchers, underscore the critical need for the development of a vaccine, as well as antiviral therapies, to combat Zika infection, the authors stated.

**More information:** Ryuta Uraki et al. Zika virus causes testicular atrophy, *Science Advances* (2017). [DOI: 10.1126/sciadv.1602899](https://doi.org/10.1126/sciadv.1602899)

Provided by Yale University

Citation: Zika virus harms testes, says study (2017, February 23) retrieved 20 July 2023 from <https://medicalxpress.com/news/2017-02-zika-virus.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.