

# Tokophobia is an extreme fear of childbirth. Here's how to recognise and treat it

December 4 2020, by Julie Jomeen, Catriona Jones, Claire Marshall and Colin Martin



Credit: Shutterstock

Many pregnant women worry about birth. Some, however, suffer from a much more serious condition called tokophobia: a severe and unreasoning dread of childbirth, which is sometimes accompanied by a disgust of pregnancy.

At its most extreme, tokophobia can lead to:



- an obsessive use of contraception to prevent <u>pregnancy</u>
- termination of pregnancy
- not attending maternity care appointments
- post-traumatic stress disorder and/or other mental health disorders and mother-baby bonding difficulties.

Tokophobia comes in two forms: primary (in women who have not had a baby before) and secondary (women who have previously had a baby). Women with tokophobia in a previous pregnancy are more likely to have it in a subsequent pregnancy, resulting in a potential cycle of anxiety and depression.

Our new <u>paper</u>, published in the Journal of Reproductive and Infant Psychology, reflects on a recent meeting of researchers and clinicians about what's missing from the way we identify and treat tokophobia.

#### Hard to define, hard to screen for

It's hard to say how many women are affected by tokophobia; it's been defined and measured using different questionnaires. One <u>research paper</u> estimated the prevalence of tokophobia at 14% of <u>pregnant women</u> worldwide.

Screening for tokophobia is not common practice around the world. Screening questionnaires sometimes ask the woman questions about her mood, whether she has fears for herself or her baby, about feeling so afraid of <a href="mailto:childbirth">childbirth</a> she's considered terminating the pregnancy, or feeling fear so overwhelming it interferes with eating, work or sleep.

In other words, tokophobia goes beyond normal childbirth concerns and worries, and becomes an intense and irrational fear of pregnancy and/or labor.



It's important women with this condition are identified as soon as possible but that often only happens when they seek specialized professional help. This can sometimes (but not always) take the form of a request for a termination of pregnancy or cesarean section.

### **Treatment options**

Treatment for tokophobia remains patchy but should be determined based on factors such as the woman's level of fear, stage of pregnancy and her individual wishes.

Early conversations about fear of childbirth—and understanding exactly what those fears are—may reduce negative impact and prevent anxiety.

For women with birth trauma (and potential secondary tokophobia), helping them prepare for uncertainty and building trust in themselves and their caregivers can result in a future positive experience.

Approaches that may help include:

- additional <u>midwifery support</u> to discuss the birth, with <u>continuity</u> <u>of care</u>, which is where the same midwife and/or midwifery care team sees the woman throughout pregnancy and labor
- involvement of the obstetrician in decision-making around birth
- extra education about childbirth
- the involvement of the birth partner,
- supported visits to the delivery suite, and
- the development of a <u>supportive birth plan</u>.

## Pathways of care

The way childbirth is often depicted in the media may play a role in setting birth up in women's minds as a negative experience. But it's



important women share birth stories—the good and the bad. <u>Like-minded peer support mechanisms</u>, including parenting forums, which can be really helpful for some women.

During pregnancy, women should be encouraged to share their fears with their maternity care provider and ask questions.

Our understanding of <u>fear</u> of childbirth has undoubtedly increased, and some pioneering "<u>pathways of care</u>" for women with tokophobia already exist.

But there is much work left to do if we are to understand and identify when standard worries deviate from expected levels to problematic levels.

We owe it to women and babies everywhere to find better ways to support <u>women</u> with tokophobia and maximize their chances of a positive <u>birth</u> experience.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

## Provided by The Conversation

Citation: Tokophobia is an extreme fear of childbirth. Here's how to recognise and treat it (2020, December 4) retrieved 24 January 2023 from <a href="https://medicalxpress.com/news/2020-12-tokophobia-extreme-childbirth-recognise.html">https://medicalxpress.com/news/2020-12-tokophobia-extreme-childbirth-recognise.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.