


Will large-scale vaccination succeed in containing the COVID-19 pandemic and how soon?

August 10 2021



Optimal vaccination parameters to achieve herd immunity. Credit: Shilei Zhao, Tong Sha, Chung-I Wu, Yongbiao Xue, Hua Chen

The availability of vaccines provides a promising solution to contain the COVID-19 pandemic. However, it remains unclear whether the large-scale vaccination can succeed in containing the COVID-19 pandemic and how soon. According to a study conducted by scientists from Beijing Institute of Genomics, Chinese Academy of Sciences (China National Center for Bioinformatics), vaccination alone cannot stop the pandemic in some scenarios, and non-pharmaceutical interventions (NPIs) are necessary to complement vaccination and accelerate the end of the pandemic. The article has been published online on May 20, 2021, in the open access journal *Quantitative Biology*.

The study developed an epidemic model to explore [pandemic](#) dynamics under vaccination and NPI scenarios, explicitly parameterized key factors related to vaccination, including the duration of immunity, vaccine efficacy, and daily vaccination rate, etc. The model was applied to the daily reported numbers of confirmed cases of Israel and the U.S. to explore and predict trends under vaccination based on their current epidemic statuses and intervention measures.

"In Israel, over half of the population was fully vaccinated yet, and under the current vaccination scheme, the pandemic was predicted to end between May 14, 2021 and August 26, 2021, assuming immunity persists for 180 days to 365 days and with or with no NPIs. For the U.S., if we assume the current vaccination rate (0.268% per day) and intensity of NPIs, the pandemic will end between January 20, 2022, and October 19, 2024, assuming immunity persists for 180 days to 365 days. However, assuming immunity persists for 180 days and no NPIs are implemented, the pandemic will not end and instead reach an [equilibrium state](#), with a proportion of the population remaining actively infected." Dr. Chen said.

Overall, the daily vaccination rate should be decided according to [vaccine](#) efficacy and immunity duration to achieve herd immunity. In some situations, vaccination alone cannot stop the pandemic, and NPIs

are necessary to supplement vaccination and accelerate the end of the pandemic. Considering that [vaccine efficacy](#) and duration of immunity may be reduced for new mutant strains, it is necessary to remain cautiously optimistic about the prospect of ending the pandemic under vaccination.

More information: Shilei Zhao et al, Will the large-scale vaccination succeed in containing the COVID-19 pandemic and how soon?, *Quantitative Biology* (2021). [DOI: 10.15302/J-QB-021-0256](https://doi.org/10.15302/J-QB-021-0256)

Provided by Higher Education Press

Citation: Will large-scale vaccination succeed in containing the COVID-19 pandemic and how soon? (2021, August 10) retrieved 21 April 2023 from <https://medicalxpress.com/news/2021-08-large-scale-vaccination-covid-pandemic.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--