

# College kids who don't drink milk could face serious consequences

March 14 2013

---

College-age kids who don't consume at least three servings of dairy daily are three times more likely to develop metabolic syndrome than those who do, said a new University of Illinois study.

"And only one in four young persons in the study was getting the recommended amount of dairy," said Margarita Teran-Garcia, a U of I professor of food science and [human nutrition](#).

That alarming finding means that three-fourths of the 18- to 25-year-old college applicants surveyed are at risk for [metabolic syndrome](#), the researcher said.

Metabolic syndrome occurs when a person has three of the following risk factors: abdominal obesity, [high blood pressure](#), [high blood sugar](#), and unhealthy cholesterol and [lipid levels](#). Having this disorder greatly increases a person's chances of developing heart disease and type 2 diabetes, she said.

Although scientists believe that dairy products guard against obesity and the health problems that accompany extra weight, they aren't sure how it happens. "It may be the calcium, it may be the proteins. Whatever the mechanism, evidence suggests that dairy products are effective in attaining and [maintaining a healthy weight](#)," she said.

In the study, 339 Mexican college applicants filled out a food frequency questionnaire and were then evaluated for metabolic syndrome risk

factors. The analysis controlled for sex, age, family history of cardiovascular disease and [type 2 diabetes](#), and physical activity.

The study is part of the Up Amigos project, a collaboration between scientists at the U of I and the Universidad Autónoma de San Luis Potosí in Mexico. The researchers are following university applicants to learn how changes in their BMI, weight, and eating and [exercise habits](#) affect the students' health over time.

The research is important to Hispanics in the United States because many have a [genetic predisposition](#) for very low HDL (good) cholesterol, Teran-Garcia said.

"And obesity is now a more serious public health problem in Mexico than in the United States. According to new data from a national Mexican survey, 72 percent of adults are overweight or obese, in contrast to 66 to 70 percent of U.S. adults," she said.

The scientists suspected that students were substituting high-calorie sugar-sweetened beverages—for example, soda and juice drinks—for milk, but they found that wasn't the case. Instead, a quarter of the group drank these sorts of beverages in addition to dairy products, contributing surplus calories, she said.

Teran-Garcia stressed the importance of developing healthy food habits early in life, and she sees her efforts at the university as an intervention that could change the students' thinking.

"We are concerned because persons in this age group don't visit the doctor often, and they may not know they have problems with their weight, blood pressure, lipids, or blood sugar," she said.

Adopting the USDA dairy recommendation as a young person is a low-

cost approach to maintain health and decrease future disease risk, she said. "And, in a few years, when our survey participants are parents, they'll be able to model good nutrition for their children."

Provided by University of Illinois at Urbana-Champaign

Citation: College kids who don't drink milk could face serious consequences (2013, March 14) retrieved 20 July 2023 from <https://medicalxpress.com/news/2013-03-college-kids-dont-consequences.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.