

Children of older dads more likely to suffer mental illness, study shows

January 22 2014

(Medical Xpress)—Children with older fathers are more susceptible to mental health disorders a University of Queensland (UQ) study has found.

Led by the Queensland Brain Institute's (QBI) Professor John McGrath, an international team of researchers used Danish health registers to examine the maternal and paternal age of 2,894,688 [offspring](#) at birth.

"The study followed people with a a broad range of [mental disorders](#) including schizophrenia, mood disorders, neurotic, stress-related, eating disorders, personality disorders and a range of developmental and childhood disorders born from 1955 to 2007, for the equivalent of 42.7 million person years," Professor McGrath said.

"We found that the overall risk for psychiatric disorders, in particular [mental retardation](#), autism and schizophrenia, increased for those born to a father over the age of 29 years."

The association between parental age and risk of mental disorders in offspring may be confounded by a range of factors.

"De novo (or new) mutation in the developing sperm cell may contribute to an increased risk for a surprisingly wide range of [mental health](#) disorders, including schizophrenia, autism and mental retardation."

When analyzing the data, the team also confirmed a link between the

offspring of younger mothers and substance abuse disorders, hyperkinetic disorders and mental retardation.

"For the broad range of neurotic and stress related disorders, the offspring of teenaged mothers were at the highest risk."

The study is a reminder that the offspring of older father have an increased risk of a range of disorders.

"Recent genetic studies have confirmed that the offspring of [older fathers](#) have more de novo (or new) mutations. Our new studies suggest that age-related mutations from the father may impact on the mental health of the offspring."

In short, the biological clock ticks for men, as well as women.

In addition to the recent attention accorded to the risk for mental disorders in the offspring of older fathers, the study demonstrates a more complex and nuanced pattern of association between maternal and paternal ages and the risk for mental [disorders](#) in their offspring.

The study, "A Comprehensive Assessment of Parental Age and Psychiatric Disorders," will be published in *JAMA Psychiatry* on January 22, 3pm CT.

Provided by University of Queensland

Citation: Children of older dads more likely to suffer mental illness, study shows (2014, January 22) retrieved 16 December 2022 from <https://medicalxpress.com/news/2014-01-children-older-dads-mental-illness.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.