

## Study cracks how the brain processes emotions

July 9 2014, by Melissa Osgood



This image illustrates how the brain processes emotion. Credit: Cornell University

Although feelings are personal and subjective, the human brain turns them into a standard code that objectively represents emotions across



different senses, situations and even people, reports a new study by Cornell University neuroscientist Adam Anderson.

"We discovered that fine-grained patterns of neural activity within the orbitofrontal cortex, an area of the brain associated with emotional processing, act as a neural code which captures an individual's subjective feeling," says Anderson, associate professor of human development in Cornell's College of Human Ecology and senior author of the study. "Population coding of affect across stimuli, modalities and individuals," published online in *Nature Neuroscience*.

Their findings provide insight into how the brain represents our innermost <u>feelings</u> – what Anderson calls the last frontier of neuroscience – and upend the long-held view that emotion is represented in the brain simply by activation in specialized regions for positive or <u>negative feelings</u>, he says.

"If you and I derive similar pleasure from sipping a fine wine or watching the sun set, our results suggest it is because we share similar fine-grained patterns of activity in the <u>orbitofrontal cortex</u>," Anderson says.





Credit: Cornell University

"It appears that the <u>human brain</u> generates a special code for the entire valence spectrum of pleasant-to-unpleasant, good-to-bad feelings, which can be read like a 'neural valence meter' in which the leaning of a population of neurons in one direction equals positive feeling and the leaning in the other direction equals negative feeling," Anderson explains.

For the study, the researchers presented participants with a series of pictures and tastes during functional neuroimaging, then analyzed participants' ratings of their subjective experiences along with their <u>brain</u> <u>activation patterns</u>.

Anderson's team found that valence was represented as sensory-specific



patterns or codes in areas of the brain associated with vision and taste, as well as sensory-independent codes in the orbitofrontal cortices (OFC), suggesting, the authors say, that representation of our internal subjective experience is not confined to specialized emotional centers, but may be central to perception of sensory experience.

They also discovered that similar subjective feelings – whether evoked from the eye or tongue – resulted in a similar pattern of activity in the OFC, suggesting the <u>brain</u> contains an emotion code common across distinct experiences of pleasure (or displeasure), they say. Furthermore, these OFC activity patterns of positive and negative experiences were partly shared across people.

"Despite how personal our feelings feel, the evidence suggests our brains use a standard code to speak the same emotional language," Anderson concludes.

**More information:** Population coding of affect across stimuli, modalities and individuals, *Nature Neuroscience* (2014) <u>DOI:</u> 10.1038/nn.3749

Provided by Cornell University

Citation: Study cracks how the brain processes emotions (2014, July 9) retrieved 4 March 2023 from <u>https://medicalxpress.com/news/2014-07-brain-emotions.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.