

Just 30 minutes a day: Regular exercise relieves asthma symptoms

7 October 2015



Credit: Peter Griffin/Public Domain

Millions of people suffer from asthma. Many report having poor control of their symptoms. Fortunately, new research shows there is a simple antidote: 30 minutes of exercise a day, year-round.

In a study recently published in *BMJ Open Respiratory Research*, experts from Concordia University, the Hôpital du Sacré-Coeur de Montréal and several other institutions analyzed the [exercise](#) habits of 643 participants who had been diagnosed with asthma.

Results were overwhelmingly clear: those who engaged in optimal levels of [physical activity](#) on a regular basis were nearly two-and-a-half times more likely to have good control of their symptoms, compared with those who did no exercise.

The workout doesn't have to be strenuous. "We're not talking about running marathons here," says Simon Bacon, the study's lead author and a professor in the Department of Exercise Science at Concordia. "Just 30 minutes a day of walking, riding a bike, doing yoga—anything active, really—can result in significant reduction of [asthma](#)

[symptoms.](#)"

Traditionally, people with the condition have been discouraged from exercising because of a belief that it triggers shortness of breath and attacks. Bacon explains that simple precautionary measures can be taken to avoid the discomforts that can be caused by physical activity.

"The issue of exercise-induced bronchospasm is real—but if you use your reliever medication, blue puffer, before you exercise, and then take the time to cool down afterwards, you should be okay," he says. "Even if you have asthma, there's no good reason not to get out there and exercise."

That's a message Bacon hopes resonates. Within his sample group of 643 individuals, a whopping 245 reported doing no physical activity. Only 100 said they engaged in the optimal 30 minutes a day.

"Those numbers reflect the population in general," says Bacon, who is also director of the Centre de réadaptation Jean-Jacques-Gauthier at Hôpital du Sacré-Coeur. Forty per cent of people don't exercise at all, he says.

"We need to keep in mind that doing something is better than nothing, and doing more is better than less. Even the smallest amount of activity is beneficial."

It's something to keep in mind during winter months, when fitness levels tend to drop along with the temperature, and cold air provides another trigger for asthma symptoms.

"Our study shows that those who were able to engage in physical activity on a regular basis year-round benefit most," says Bacon. If necessary, he suggests finding an indoor place to move, whether it's the gym, a staircase or a shopping mall.

"It's all about being creative and finding

environments where the cold doesn't become an issue."

Could a prescription for exercise be the result of this study Bacon is hopeful. "It would be great to see physicians recommending physical activity to patients with [asthma](#), alongside traditional pharmacological treatments," he says.

Provided by Concordia University

APA citation: Just 30 minutes a day: Regular exercise relieves asthma symptoms (2015, October 7) retrieved 6 December 2022 from <https://medicalxpress.com/news/2015-10-minutes-day-regular-relieves-asthma.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.