

Veterans with PTSD admitted to the ICU found to have higher sedation requirements

19 October 2015

Researchers from the University at Buffalo at The State University of New York examined the effects of pre-existing post traumatic stress disorder (PTSD) on mechanically ventilated veterans during ICU hospitalization. This retrospective cohort study found that mechanically ventilated patients with PTSD had higher sedation requirements.

A group of [adult patients](#) with PTSD who were mechanically ventilated were compared with patients without PTSD, matched for age, sex, and severity of illness. Of the 1,569 patients that were identified, patients with PTSD had a longer duration of sedation with benzodiazepines (3.04 vs 2.43 days) and opiates (3.29 vs 2.47 days), and a higher mean daily dose of propofol. These results note the necessity to develop sedation regimens tailored to patients with PTSD, which could help improve their experience in the ICU. In addition to these findings, a trend toward increased ICU mortality rate in the PTSD group was also seen without a [significant difference](#) in the duration of mechanical ventilation.

"More than 10% of our VA ICU patients suffer from PTSD," said Dr. Jad Kebbe, University at Buffalo physician and lead researcher. "Their ICU care should incorporate proper awareness of their PTSD, with particular attention to their sedation regimen."

More information: Further results will be shared during CHEST 2015 on Tuesday, October 27, at 12:15 pm at Palais des congrès de Montréal, room 524c.

Provided by American College of Chest Physicians

APA citation: Veterans with PTSD admitted to the ICU found to have higher sedation requirements (2015, October 19) retrieved 18 August 2022 from <https://medicalxpress.com/news/2015-10-veterans-ptsd-icu-higher-sedation.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.