

Gender minorities have greater mental illness, disability

March 6 2018



(HealthDay)—Gender minority Medicare beneficiaries have larger

disability and mental health burdens than the general Medicare population, according to a study published online March 4 in *Health Affairs*.

Ana M. Progovac, Ph.D., from Cambridge Health Alliance in Massachusetts, and colleagues identified [gender](#) minority (transgender or gender-nonbinary) Medicare beneficiaries using diagnosis codes and compared them to a 5 percent random sample of nongender minority Medicare beneficiaries from 2009 to 2014. Comparisons were assessed for mental [health](#) and chronic diseases, use of preventive and [mental health care](#), hospitalizations, and emergency department visits.

The researchers found that gender minority beneficiaries experienced more disability and mental illness, and, after adjustment for age and mental health, they used more [mental health](#) care. They were also more likely to be hospitalized and to visit the emergency department after adjustment for age and chronic disease. Findings were similar for both disabled and older cohorts.

"Higher rates of emergency care use among gender minority than nongender minority beneficiaries may signal relatively higher unmet need and highlight the need for more action to study and mitigate potential drivers of morbidity for this population," the authors write.

More information: [Abstract/Full Text \(subscription or payment may be required\)](#)

Copyright © 2018 [HealthDay](#). All rights reserved.

Citation: Gender minorities have greater mental illness, disability (2018, March 6) retrieved 28 December 2022 from <https://medicalxpress.com/news/2018-03-gender-minorities-greater-mental-illness.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.