

# New yardstick offers diagnostic and treatment guidance for idiopathic anaphylaxis

September 18 2019

---

Many people in danger of the severe allergic reaction known as anaphylaxis understand exactly what they need to avoid to stay safe. For some it's an allergy to food, for others it can be insect stings, medications, hormones or even physical factors like exercise. But according to the new "Idiopathic Anaphylaxis Yardstick", there are people for whom diagnosis and treatment of anaphylaxis are difficult because the cause is unknown and therefore labeled "idiopathic." The yardstick is published in *Annals of Allergy, Asthma and Immunology*, the scientific journal of the American College of Allergy, Asthma and Immunology (ACAAI).

"Although Idiopathic Anaphylaxis (IA) is relatively rare, [medical professionals](#) do run across it," says [anaphylaxis](#) researcher Melody Carter, MD, lead author of the yardstick. "Since avoidance is the first line of defense in preventing anaphylaxis, anyone who hasn't had the cause identified is at a disadvantage, including physicians who are treating those with anaphylaxis. We developed the "Idiopathic Anaphylaxis Yardstick" to help physicians who might be searching for guidance on next steps after their patient has an anaphylactic reaction of an unknown origin."

According to the yardstick, a patient history is a vital step in diagnosing IA. Several diseases and disorders have symptoms which mimic anaphylaxis related to an allergy, and some causes of anaphylaxis have

been discovered or are better recognized in recent years. Thus, there are many diagnoses labeled as "differential"—not caused by [allergy](#) but a reaction to something else. The patient history must include events that happened just before the event—foods that were eaten, drugs taken, activities (ie, exercise) insect stings or exposure to heat or cold. The time, location and duration of the event should also be considered.

"Advances in diagnostics have led to the discovery of disorders that were likely the cause of IA for many patients in the past," says allergist Phil Lieberman, MD, ACAAI member and co-author of the yardstick. "The yardstick contains a detailed discussion of the disorders that should be considered including alpha-gal, clonal mast disease, drug/alcohol induced flushing, tumor-related flushing and hereditary alpha tryptasemia syndrome. We outline diseases and disorders that can cause anaphylaxis or present with symptoms associated with anaphylaxis in order to assist allergists in examining a broad spectrum of possible causes. We also discuss [laboratory tests](#) that are essential diagnostic tools."

The yardstick has special sections that address [pediatric patients](#) and also provides suggestions for how to proceed with patients who don't respond to other treatments.

The "Idiopathic Anaphylaxis Yardstick" is published online in *Annals of Allergy, Asthma and Immunology*, the scientific journal of ACAAI. If you are seeking additional guidance on next steps for treating your patient with anaphylaxis, check the yardstick.

**More information:** Melody C. Carter et al. Idiopathic anaphylaxis yardstick: Practical recommendations for clinical practice, *Annals of Allergy, Asthma & Immunology* (2019). [DOI: 10.1016/j.anai.2019.08.024](#)

Provided by American College of Allergy, Asthma, and Immunology

Citation: New yardstick offers diagnostic and treatment guidance for idiopathic anaphylaxis (2019, September 18) retrieved 21 January 2023 from <https://medicalxpress.com/news/2019-09-yardstick-diagnostic-treatment-guidance-idiopathic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.