

Virtual 'moonwalk' for science reveals distortions in spatial memory

November 19 2019



What happens if the coordinate system of our brain, which measures our mental maps, is distorted? Credit: MPI CBS

In order to remember where important events happened, or how to get

from A to B, brains form mental "maps" of the environment. An important component of these mental maps are the so-called grid cells. Different grid cells are active when occupying different locations in an environment, creating a characteristic pattern of activity. This pattern consists of equilateral triangles that form a symmetrical grid structure. The discovery of grid cells in the brains of rats was awarded the Nobel Prize in 2014. Scientists suspect the same is true in human brains. Our mental maps and grid patterns formed from grid cells allow us to remember where a certain place is located and determine how far away it is from other locations. This should all work well if the grid patterns are symmetrical and regular.

However, if the patterns are disturbed, our mental maps may become inaccurate. A team of researchers from the Max Planck Institute for Cognitive and Neurosciences in Leipzig, University College London, and the Kavli Institute for Systems Neurosciences in Norway have pursued this idea. In an earlier experiment, by English neuroscientists, the activity of [grid cells](#) in rats was recorded while they made their way through different enclosures. It became clear that under certain circumstances the [grid cells](#) lost their hexagonal symmetry and "fired" more irregularly. If the animal navigated through a square box, the perfect grid pattern in the rat [brain](#) could be detected. However, if it moved through a trapezoidal enclosure, the grid pattern was far less regular.

The coordinate system of the grid cells in rats seemed to be distorted under these circumstances. Could this have consequences for the accuracy of our mental maps? "It should lead to distortions in our memory, if our brain really uses this coordinate system," thought Christian Doeller and colleagues. "We have therefore carried out an experiment, with [virtual reality](#), in which the test subjects learn different positions in space. They first do this in a square environment, where the coordinate system should work well, and then in a trapezoidal

environment, where the coordinate system of the grid cells should get distorted," explains Jacob Bellmund.

The participants wore virtual reality glasses and navigated through the virtual environments using a 360° motion platform. Each environment contained six objects and they learned which object belonged at which position in the environment. The platform provided a realistic running sensation, with their feet gliding over it in a kind of "moonwalk". In actuality, the participants only got off the ground in the virtual world. "We then compared how exactly the participants were able to learn the positions. As expected, they were worse in the trapezoidal environment than in the square one. In the trapezoidal environment, they were especially bad in the narrow half. This would correspond exactly to the area with the biggest distortions of the grid cell coordinate system," explains Bellmund.

The scientists then wanted to know whether these distortions would remain in memory, even if the participants were no longer in the asymmetrical [environment](#). Meaning, their mental coordinate system should be "square" again. To do this, they asked participants to estimate the distance between pairs of objects. Bellmund and his team had arranged the objects in such a way that the actual distance between the pairs was always identical. But, if there were distortions in the participants' memories the same distances should be recalled as shorter when recalling the trapezoid objects than those in the square. Within the trapezoid, the distances were remembered as longer in the narrow half than in the wide half. Thus, memories that were learned within a distorted coordinate system are also distorted when remembered later. It is precisely these distortions of our mental maps that we can predict with a model coordinate system," says Jacob Bellmund.

Previous work by the MPI scientists has suggested that the brain not only creates mental maps to find its way, but that other cognitive processes

are also overlaid on our brain's navigational system.

More information: Jacob L. S. Bellmund et al, Deforming the metric of cognitive maps distorts memory, *Nature Human Behaviour* (2019).

[DOI: 10.1038/s41562-019-0767-3](https://doi.org/10.1038/s41562-019-0767-3)

Provided by Max Planck Society

Citation: Virtual 'moonwalk' for science reveals distortions in spatial memory (2019, November 19) retrieved 29 January 2023 from <https://medicalxpress.com/news/2019-11-virtual-moonwalk-science-reveals-distortions.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.